


CARIQ

by panconnect.

CARIQ is a panel made of steel and the best place for it would be a workplace or a meeting room. There are 5 different sizes available in black or white colour. Every size can be supplied in preconfigured option containing sockets only or combination of sockets, USB-C/A charging, connector fields or alternatively a cable grommet. Variant **CARIQ XS** is the smallest option containing always a socket and alternatively USB charging, a cable grommet

or a second socket. Variant **CARIQ S** always includes a socket and alternatively USB-C/A charging, connector field or other sockets. **CARIQ M, L** and **XL** offer configurations containing a socket and then integrated USB-C/A charging, a connector field or a cable grommet. The highlight of **CARIQ L** is the variant with 2 sockets and 2 USB-C/A charging slots which has been specially designed to meet the requirements of training rooms.



	DIMENSION	WEIGHT	MAX. NUMBER OF SOCKETS	MAX. NUMBER OF CONNECTOR FIELDS
XS	136,5 × 74 × 62 mm	720 g	2	0
S	188 × 74 × 62 mm	860 g	3	1
M	241,5 × 74 × 62 mm	1020 g	4	1
L	292 × 74 × 62 mm	1200 g	5	1
XL	344,5 × 74 × 62 mm	1380 g	6	1

CARIQ

by panconnect•

XS

COLOURS



Black



White

POWER CABLES

POWER PLUG



cable with the schuko plug type
and length of the cable **3 m**
*not available for all socket
standards*

WAGO miniWINSTA




25 cm long pigtail
cable with WINSTA mini plug
2+PE wiring | 10A

WIELAND GST18



25 cm long pigtail
cable with GST18i3 plug
2+PE wiring | 10A

BASICS



SOCKETS

NUMBER OF SOCKETS: 1-2



FR



SC



DK



IT



US



UK



UN




CH




720 g




WHAT IS INCLUDED IN THE PACKAGE?



1 × mounting frame for installation



1 × panel with chosen power cable




4 × mounting screws in 6 possible sizes (depending on the the desk mounting height)-

CARIQ


by panconnect•

XS


VARIANTS



2 × 230 V



1 × 230V | USB C/A



1 × 230 V
cable grommet

CARIQ

by panconnect•

S

COLOURS



Black



White

POWER CABLES

POWER PLUG



cable with the schuko plug type and length of the cable **3 m**
not available for all socket standards

WAGO miniWINSTA



25 cm long pigtail
cable with WINSTA mini plug
2+PE wiring | 10A

WIELAND GST18



25 cm long pigtail
cable with GST18/3 plug
2+PE wiring | 10A

BASICS

CONNECTOR FIELDS

NUMBER OF FIELDS: 0-1



LAN
HDMI



LAN
USB-C



LAN
USB-A



LAN
LAN



USB-C
HDMI



USB-A
HDMI



USB-C




USB-A



HDMI



LAN



SOCKETS

NUMBER OF SOCKETS: 1-3



FR



SC



DK



IT



US



UK




UN




CH




860 g



WHAT IS INCLUDED IN THE PACKAGE?



1 × mounting frame for installation



1 × panel with chosen power cable




4 × mounting screws in 6 possible sizes (depending on the the desk mounting height)

CARIQ


by panconnect•

S


VARIANTS




2 × 230V
USB-C




2 × 230V
USB-A




2 × 230V | USB C/A
-




2 × 230V
HDMI | LAN Cat6A




3 × 230V
-




2 × 230V
USB-C | LAN Cat6A




2 × 230V
USB-C | LAN Cat6A




2 × 230V
2 × LAN Cat6A




2 × 230V
LAN Cat6A




2 × 230V
USB-C | HDMI




2 × 230V
USB-A | HDMI



2 × 230V
HDMI



1 × 230V | USB C/A
USB-C




1 × 230V | USB C/A
USB-A

CARIQ


by panconnect•

S


VARIANTS




1 × 230V | USB C/A
HDMI




1 × 230V | USB C/A
USB-C | LAN Cat6A




1 × 230V | USB-C/A
USB-A | Lan Cat6A




1 × 230V | USB C/A
2 × LAN Cat6A




1 × 230V | USB C/A
HDMI | LAN Cat6A



1 × 230V | USB C/A
LAN Cat6A



1 × 230V | USB C/A
USB-C | HDMI



1 × 230V | USB C/A
USB-A | HDMI

CARIQ

by panconnect•

M

COLOURS



Black



White

POWER CABLES

POWER PLUG



cable with the schuko plug type
and length of the cable **3 m**
*not available for all socket
standards*

WAGO miniWINSTA



25 cm long pigtail
cable with WINSTA mini plug
2+PE wiring | 10A

WIELAND GST18



25 cm long pigtail
cable with GST18/3 plug
2+PE wiring | 10A

BASICS

CONNECTOR FIELDS

NUMBER OF FIELDS: 0-1



LAN
HDMI



LAN
USB-C



LAN
USB-A



LAN
LAN



USB-C
HDMI



USB-A
HDMI



USB-C




USB-A



HDMI



LAN



SOCKETS

NUMBER OF SOCKETS: 1-4



FR



SC



DK



IT



US



UK




UN




CH




1020 g




WHAT IS INCLUDED IN THE PACKAGE?



1 × mounting frame for installation



1 × panel with chosen power cable




6 × mounting screws in 6 possible sizes (de-
pending on the the desk mounting height)

CARIQ


by panconnect•

M


VARIANTS




2 × 230V | USB C/A
USB-C | HDMI




2 × 230V
USB-A | HDMI |
cable grommet




1 × 230V | USB C/A
HDMI | cable grommet




2 × 230V
USB-C | HDMI |
cable grommet




2 × 230V | USB C/A
USB-A | HDMI




2 × 230V
HDMI | cable grommet




2 × 230V | USB C/A
HDMI




1 × 230V | USB C/A
USB-C | cable grommet




1 × 230V | USB C/A
USB-A | cable grommet




1 × 230V | USB C/A
USB-C | LAN Cat6A |
cable grommet




1 × 230V | USB C/A
USB-A | LAN Cat6A |
cable grommet




1 × 230V | USB C/A
LAN Cat6A |
cable grommet




1 × 230V | USB C/A
2 × LAN Cat6A |
cable grommet



1 × 230V | USB C/A
HDMI | LAN Cat6A |
cable grommet



1 × 230V | USB C/A
USB-C | HDMI |
cable grommet




1 × 230V | USB C/A
USB-A | HDMI |
cable grommet

CARIQ


by panconnect•

M


VARIANTS




2 × 230V | USB C/A
USB-A




2 × 230V | USB C/A
cable grommet




2 × 230V | USB C/A
USB-C




2 × 230V
USB-A | cable grommet




2 × 230V
USB-A | LAN Cat6A |
cable grommet




2 × 230V | USB C/A
USB-A | LAN Cat6A




2 × 230V
LAN Cat6A |
cable grommet




2 × 230V
2 × LAN Cat6A |
cable grommet




2 × 230V | USB C/A
2 × LAN Cat6A



2 × 230V
HDMI | LAN Cat6A |
cable grommet



2 × 230V | USB C/A
HDMI | LAN Cat6A




2 × 230V | USB C/A
LAN Cat6A

CARIQ


by panconnect•

M


VARIANTS




3 × 230V
HDMI




3 × 230V
USB-A | HDMI




2 × 230V
USB-C | cable grommet




3 × 230V | USB C/A
-




3 × 230V
HDMI | LAN Cat6A




3 × 230V
2 × LAN Cat6A




3 × 230V
USB-A | LAN Cat6A




3 × 230V
USB-C | LAN Cat6A




3 × 230V
cable grommet



3 × 230V
USB-A



3 × 230V
USB-C



4 × 230V
-

BASICS

CARIQ

by panconnect•

L

COLOURS



Black



White

POWER CABLES

POWER PLUG



cable with the schuko plug type
and length of the cable **3 m**
*not available for all socket
standards*

WAGO miniWINSTA



25 cm long pigtail
cable with WINSTA mini plug
2+PE wiring | 10A

WIELAND GST18



25 cm long pigtail
cable with GST18/3 plug
2+PE wiring | 10A

BASICS

CONNECTOR FIELDS

NUMBER OF FIELDS: 0-1



LAN
HDMI



LAN
USB-C



LAN
USB-A



LAN
LAN



USB-C
HDMI



USB-A
HDMI



USB-C




USB-A



HDMI



LAN



SOCKETS

NUMBER OF SOCKETS: 2-5



FR



SC



DK



IT



US



UK




UN




CH




1200 g




WHAT IS INCLUDED IN THE PACKAGE?



1 × mounting frame for installation



1 × panel with chosen power cable




6 × mounting screws in 6 possible sizes (de-
pending on the the desk mounting height)

CARIQ


by panconnect•

L


VARIANTS




2 × 230V | USB C/A
USB-C | HDMI |
cable grommet




2 × 230V | USB C/A
HDMI | LAN Cat6A |
cable grommet




2 × 230V | USB C/A
HDMI | cable grommet




2 × 230V | USB C/A
USB-A | HDMI |
cable grommet




2 × 230V | USB C/A
USB-A | LAN Cat6A |
cable grommet




2 × 230V | USB C/A
USB-C | LAN Cat6A |
cable grommet




2 × 230V | USB C/A
2 × LAN Cat6A |
cable grommet




2 × 230V | USB C/A
LAN Cat6A |
cable grommet




3 × 230V | USB C/A
HDMI



3 × 230V
HDMI | cable grommet



3 × 230V | USB C/A
USB-A | HDMI




3 × 230V
USB-A | HDMI |
cable grommet

CARIQ


by panconnect•

L


VARIANTS




3 × 230V | USB C/A
LAN Cat6A




3 × 230V | USB C/A
HDMI | LAN Cat6A




3 × 230V | USB C/A
USB-C | HDMI




3 × 230V
USB-C | HDMI |
cable grommet




3 × 230V
HDMI | LAN Cat6A |
cable grommet




3 × 230V | USB C/A
2 × LAN Cat6A




3 × 230V
2 × LAN Cat6A |
cable grommet




3 × 230V
LAN Cat6A |
cable grommet




3 × 230V | USB C/A
USB-A | LAN Cat6A




3 × 230V
USB-A | LAN Cat6A |
cable grommet




2 × 230V | 2 × USB C/A
-




3 × 230V | USB C/A
USB-C | LAN Cat6A



3 × 230V
USB-C | LAN Cat6A |
cable grommet



3 × 230V | USB C/A
cable grommet



3 × 230V | USB C/A
USB-A


BASICS

CARIQ


by panconnect.

L


VARIANTS




3 × 230V
USB-A | cable grommet




3 × 230V
USB-C | cable grommet




4 × 230V | USB C/A
-




4 × 230V
HDMI




4 × 230V
USB-A | HDMI




4 × 230V
USB-C | HDMI




4 × 230V
LAN Cat6A




4 × 230V
HDMI | LAN Cat6A




4 × 230V
2 × LAN Cat6A




4 × 230V
USB-A | LAN Cat6A




3 × 230V | USB C/A
USB-C




4 × 230V
USB-C | LAN Cat6A




4 × 230V
cable grommet



4 × 230V
USB-A



4 × 230V
USB-C



5 × 230V
-

BASICS

CARIQ

by panconnect•

XL

COLOURS



Black



White

POWER CABLES

POWER PLUG




cable with the schuko plug type and length of the cable **3 m**
not available for all socket standards

WAGO miniWINSTA



25 cm dlouhý pigtail
kabel s WINSTA mini plug
2+PE wiring | 10A

WIELAND GST18



25 cm dlouhý pigtail
kabel s GST18i3 plug
2+PE wiring | 10A

BASICS

CONNECTOR FIELDS

NUMBER OF FIELDS: 0-1



LAN
HDMI



LAN
USB-C



LAN
USB-A



LAN
LAN



USB-C
HDMI



USB-A
HDMI



USB-C




USB-A



HDMI



LAN



SOCKETS

NUMBER OF SOCKETS: 3-6



FR



SC



DK



IT



US



UK




UN




CH




1380 g




WHAT IS INCLUDED IN THE PACKAGE?



1 × mounting frame for installation



1 × panel with chosen power cable




6 × mounting screws in 6 possible sizes (depending on the desk mounting height)

CARIQ


by panconnect•

XL


VARIANTS




3 × 230V | USB C/A
USB-C | HDMI |
cable grommet




3 × 230V | USB C/A
HDMI | LAN Cat6A |
cable grommet




3 × 230V | USB C/A
2 × LAN Cat6A |
cable grommet




3 × 230V | USB C/A
LAN Cat6A |
cable grommet




3 × 230V | USB C/A
USB-A | LAN Cat6A |
cable grommet




3 × 230V | USB C/A
USB-C | LAN Cat6A |
cable grommet




3 × 230V | USB C/A
USB-A | cable grommet




3 × 230V | USB C/A
USB-C | cable grommet




4 × 230V | USB C/A
HDMI



4 × 230V
HDMI | cable grommet



4 × 230V | USB C/A
USB-A | HDMI




4 × 230V
USB-A | HDMI |
cable grommet

CARIQ


by panconnect•

XL


VARIANTS




4 × 230V | USB C/A
LAN Cat6A




4 × 230V | USB C/A
HDMI | LAN Cat6A




4 × 230V | USB C/A
USB-C | HDMI




4 × 230V
USB-C | HDMI |
cable grommet




4 × 230V
HDMI | LAN Cat6A |
cable grommet




4 × 230V | USB C/A
2 × LAN Cat6A




4 × 230V
2 × LAN Cat6A |
cable grommet




4 × 230V
LAN Cat6A |
cable grommet




4 × 230V | USB C/A
USB-A | LAN Cat6A




4 × 230V
USB-A | LAN Cat6A |
cable grommet




4 × 230V | USB C/A
USB-C | LAN Cat6A



4 × 230V
USB-C | LAN Cat6A |
cable grommet



4 × 230V | USB C/A
cable grommet




4 × 230V | USB C/A
USB-A

CARIQ


by panconnect.

XL


VARIANTS




4 × 230V
USB-C | cable grommet




5 × 230V | USB C/A
-




5 × 230V
HDMI




5 × 230V
USB-A | HDMI




5 × 230V
USB-C | HDMI




5 × 230V
LAN Cat6A




5 × 230V
HDMI | LAN Cat6A




5 × 230V
2 × LAN Cat6A




5 × 230V
USB-A | LAN Cat6A




5 × 230V
USB-C | LAN Cat6A




5 × 230V
cable grommet




5 × 230V
USB-A




5 × 230V
USB-C



6 × 230V
-



4 × 230V
USB-A | cable grommet



4 × 230V | USB C/A
USB-C

SAFETY & RECYCATION



PANCONNECT declares that panel CARIQ complies with Low voltage directive 2014/35/EC and EMC directive 2014/30/EU. Testing has been made according to EN 50491-5-1:2010 and EN 50491-5-2:2010 standards.



All products from PANCONNECT are intended for upgrade or recycling in accordance with the company's policy.




Before the disposal of this panel comes up, please verify if this product can or cannot be upgraded or overhauled. If it's not possible, kindly arrange the disposal in accordance with valid EU directives. This product belongs to WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (WEEE) category so the disposal is possible only in accordance with this WEEE Directive 2012/19/EU. It cannot be part of the municipal waste. For more information please check www.asekol.cz | info@asekol.cz

INSTALLATION MANUAL



Easy installation



DESK MOUN- TING HEIGHT

10 mm
to 40 mm
(up to 60mm with
custom screws)

Tools: jig saw, hole saw (Ø 68mm)

- 01|** Mark the centers and cut out the holes with the hole saw
- 02|** Use the jig saw and cut the bridge between the holes
- 03|** Put the panel to the hole, place the mounting frame from the bottom part. Plug the panel in.

USB-C SPECIFICATION

PowerDelivery up to 60W

USB-A SPECIFICATION

QuickCharge 3.0 up to 5A

SOCKETS

230V/10A (EU), 110V/10A (US)

INGRESS PROTECTION

IP22

POWER SUPPLY

110 - 250V, 10A

MODULARITY

Connector field

MATERIALS

Aluminium | ABS | Steel

DESIGNER

Dominik Hutečka

Designed & manufactured in Brno, Czech Republic.
PANCONNECT s.r.o. | Olomoucká 51, Brno | Czech Republic
www.panconnect.eu | support@panconnect.eu

panconnect•