

SNOOK

by panconnect•

SNOOK is a panel that combines pure design and effective connectivity. It is produced in 5 basic sizes.

SNOOK XS is the smallest variant that contains only USB-C/A charging and wireless charging Qi.


SNOOK S is a basic charging option that includes a socket, USB-C/A charging and wireless Qi charging.

SNOOK M is produced in 2 variants. First option contains 2 sockets, USB-C/A charging and wireless Qi charging. Second option offers integrated space for 2 PULL-OUT cables, USB-C/A charging and wireless Qi charging.

SNOOK L is the biggest variant and it includes integrated space for 2 PULL-OUT cables, socket, USB-C/A charging and wireless Qi charging.

Great benefit of SNOOK M and L is that **USB-A and USB-C** slots can be placed on the bottom or upper part of the panel.

For manipulation with audio-video or charging cables can be used a **PULL-OUT** system that works on a principle of gravity weighted cables in a textile bag and it allows to pull out the **cable up to 96 cm** (total length of the cable is 200 cm).



SIZE XS

SIZE S

SIZE M

SIZE M

SIZE L


	DIMENSIONS	WEIGHT	NUMBER OF SOCKETS	PULL-OUT CABLE SYSTEM	WIRELESS CHARGING QI	DIMENSIONS WITH PULL-OUT CABLE SYSTEM
SIZE XS	124,5 × 73 × 80,5 mm	890 g	0	0	✓	×
SIZE S	176 × 73 × 80,5 mm	1040 g	1	0	✓	×
SIZE M	279 × 73 × 81 mm	1260 g	2	0	✓	×
SIZE M	227,5 × 73 × 81 mm	1020 g	0	2	✓	227,5 × 73 × 690 mm
SIZE L	279 × 73 × 81 mm	1200 g	1	2	✓	279 × 73 × 690 mm

PREMIUM


SNOOK

by panconnect•

SIZE XS



COLOUR COMBINATIONS



890 g



ZDROJOVÝ KABEL

POWER PLUG




cable with the schuko plug type and length of the cable **3 m** *not available for all socket standards*

WAGO miniWINSTA




25 cm long pigtail cable with WINSTA mini plug 2+PE wiring | 10A

WIELAND GST18




25 cm long pigtail cable with GST18/3 plug 2+PE wiring | 10A


WHAT IS INCLUDED IN THE PACKAGE?



1 × mounting frame for installation



1 × panel with chosen power cables



4 × mounting screws in 6 possible sizes (depending on the the desk mounting height)

PREMIUM

SNOOK

by panconnect•

SIZE S

SOCKETS

NUMBER OF SOCKETS:

1



FR



SC



DK



IT



US



UK



UN



CH

COLOUR COMBINATIONS



ARGENT SILVER
BIANCO DOVER



ARGENT SILVER
GRIGIO EFESO



ARGENT SILVER
NEGRO INGO



URBAN TAUPE
NEGRO INGO



URBAN TAUPE
CASTORO OTTAWA



URBAN TAUPE
BIANCO DOVER



ARGENT SILVER
BLU FES




URBAN TAUPE
BLU FES



DARK CHARCOAL
NEGRO INGO



1040 g



POWER CABLES

POWER
PLUG




cable with the schuko plug type
and length of the cable **3 m**
*not available for all socket
standards*

WAGO
miniWINSTA




25 cm long pigtail
cable with WINSTA mini plug
2+PE wiring | 10A

WIELAND
GST18




25 cm long pigtail
cable with GST18/3 plug
2+PE wiring | 10A


WHAT IS INCLUDED IN THE PACKAGE?



1 × mounting frame for installation



1 × panel with chosen power cables



4 × mounting screws in 6 possible sizes (de-
pending on the the desk mounting height)

PREMIUM

SNOOK

by panconnect•

SIZE M

SOCKETS

NUMBER OF SOCKETS:

2



FR



SC



DK



IT



US



UK



UN



CH

COLOUR COMBINATIONS



ARGENT SILVER
BIANCO DOVER



ARGENT SILVER
GRIGIO EFESO



ARGENT SILVER
NEGRO INGO



URBAN TAUPE
NEGRO INGO



URBAN TAUPE
CASTORO OTTAWA



URBAN TAUPE
BIANCO DOVER




ARGENT SILVER
BLU FES



URBAN TAUPE
BLU FES



DARK CHARCOAL
NEGRO INGO



1150 g



POWER CABLES

POWER
PLUG




cable with the schuko plug type
and length of the cable 3 m
*not available for all socket
standards*

WAGO
miniWINSTA




25 cm long pigtail
cable with WINSTA mini plug
2+PE wiring | 10A

WIELAND
GST18




25 cm long pigtail
cable with GST1813 plug
2+PE wiring | 10A

WHAT IS INCLUDED IN THE PACKAGE?



1 × mounting frame for installation



1 × panel with chosen power cables



6 × mounting screws in 6 possible sizes (de-
pending on the the desk mounting height)

PREMIUM


SNOOK by panconnect | 04

SNOOK


by panconnect•

SIZE M

COLOUR COMBINATIONS



1020 g



POWER CABLES

POWER PLUG



cable with the schuko plug type and length of the cable **3 m** *not available for all socket standards*

WAGO miniWINSTA




25 cm long pigtail cable with WINSTA mini plug 2+PE wiring | 10A

WIELAND GST18



25 cm long pigtail cable with GST1813 plug 2+PE wiring | 10A

CHARGING POSSIBILITIES




USB-C and USB-A charging placed in the bottom part of the panel

USB-A QUICK CHARGE
USB 3.0
5Gbps

USB-C POWER DELIVERY
USB-C 3.2 gen 1
5Gbps

VIEW FROM THE BOTTOM PART OF THE PANEL




USB-C and USB-A charging in the upper part of the panel


USB-A QUICK CHARGE
USB 3.0
5Gbps

USB-C POWER DELIVERY
USB-C 3.2 gen 1
5Gbps

WHAT IS INCLUDED IN THE PACKAGE?



11 × mounting frame for installation



1 × panel with chosen power cables



6 × mounting screws in 6 possible sizes (depending on the the desk mounting height)



PREMIUM

SNOOK by panconnect | 05

SNOOK


by panconnect•

SIZE L


SOCKETS

NUMBER OF SOCKETS:

1



COLOUR COMBINATIONS



1200 g

POWER CABLES

POWER PLUG



cable with the schuko plug type and length of the cable **3 m** not available for all socket standards

WAGO miniWINSTA




25 cm long pigtail cable with WINSTA mini plug 2+PE wiring | 10A

WIELAND GST18



25 cm long pigtail cable with GST1813 plug 2+PE wiring | 10A

CHARGING POSSIBILITIES





USB-C and USB-A charging placed in the bottom part of the panel

USB-A QUICK CHARGE
USB 3.0
5Gbps

USB-C POWER DELIVERY
USB-C 3.2 gen 1
5Gbps

VIEW FROM THE BOTTOM PART OF THE PANEL




USB-C and USB-A charging in the upper part of the panel

USB-A QUICK CHARGE
USB 3.0
5Gbps


USB-C POWER DELIVERY
USB-C 3.2 gen 1
5Gbps

WHAT IS INCLUDED IN THE PACKAGE?



1 × mounting frame for installation

1 × panel with chosen power cables



6 × mounting screws in 6 possible sizes (depending on the the desk mounting height)




PREMIUM

SNOOK by panconnect | 06

PULL-OUT SYSTEM

by panconnect•




PULL-OUT - a mechanism that works on the principle of gravity weighted cables in a textile bag and it allows the cable to **be pulled up to 96 cm** (the total length of the cable is 200 cm).

SNOOK always contains 2 **PULL-OUTs** in the package.


WEIGHTS

SIZE S




260 g

SIZE M




360 g

SIZE L



460 g


WHAT IS INCLUDED IN THE PACKAGE?



1 x pull-out system


CABLES

HDMI (M-M)




HDMI1.4 | 4K30Hz
200cm
gold-plated | AWG32 / 22
black pvc

HDMI (M-F)




HDMI1.4 | 4K30Hz
200cm
gold-plated | AWG32 / 22
black pvc

USB-A 3.0 (M-F)




USB3.0 | 5Gbps
200cm
9pin
AWG28/28 | black pvc

LAN (M-M)




CAT6 RJ45 | UTP
200cm
CU 4x2
AWG26/7 | black pvc

USB-A 2.0 (M)
/ LIGHTNING




200cm
nickel-alu plated
black pvc

USB-C 2.0 (M)
/ LIGHTNING (M)




200cm
nickel-alu plated
black pvc

USB-C 3.2 (M-M)



USB-C 3.2 gen 1
5Gbps | 200cm
gold and nickel plated
black pvc

USB-A 2.0 TO
MICROUSB-A 2.0/
LIGHTNING 2.0



USB-A 2.0 to microUSB-A 2.0/
LIGHTNING 2.0
480 Mb/s | 200cm
gold and nickel plated
black pvc

SAFETY & RECYCLATION



PANCONNECT declares that panel SNOOK complies with Low voltage directive 2014/35/EC and EMC directive 2014/30/EU. Testing has been made according to EN 50491-5-1:2010 and EN 50491-5-2:2010 standards.




All products from PANCONNECT are intended for **upgrade** or **recyclation** in accordance with the company's policy.



Before the disposal of this panel comes up, please verify if this product can or cannot be upgraded or overhauled. If it's not possible, kindly arrange the disposal in accordance with valid EU directives. This product belongs to WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (WEEE) category so the disposal is possible only in accordance with this WEEE Directive 2012/19/EU. It cannot be part of the municipal waste.

For more information please check
www.asekol.cz | info@asekol.cz

INSTALLATION MANUAL



DESK MOUNTING HEIGHT

10 mm
up to 40 mm
(up to 60mm
with custom screws)

Tools: Hole saw, rasp

Warning: Always follow the cutout for your panel. Steps may vary depending on the panel.

- 01| Mark the centers and cut out the holes with the hole saw
- 02| Clean sharp edges with the rasp and put the panel into the cutout.
- 03| Insert the frame from the bottom of the panel and tighten the screws.
Clip on the pull out from the bottom part of the panel.

USB-C SPECIFICATION

PowerDelivery up to 60W

USB-A SPECIFICATION

QuickCharge 3.0 up to 5A

SOCKETS

230V/10A (EU), 110V/10A (US)

INGRESS PROTECTION

IP22

POWER SUPPLY

110 - 250V, 10A

MODULARITY

PULL-OUT

MATERIALS

Dural | STAINLESS STEEL | FENIX NTM | kortexin

DESIGNER

Dominik Hutečka