



BASICS

MOVE




MOVE is a simple and durable all-metal panel with foldable doors, creating a tidy and clean impression on conference tables. Precisely milled components bring a touch of liveliness to universal simple shapes through subtle details. MOVE M has a square footprint (160 x 160 mm including the frame), while MOVE XL is only 60 mm wider. Both models can be equipped with sockets, USB-C/A charging, connectors, cables, and MOVE XL also has versions with preparation for button control systems from multiple manufacturers.

- Configurable with connectors and cables
- Integrated lid with smooth motion
- Available with USB-A QC & USB-C 60W PD
- Standard and Flush installation possible
- Full metal construction with durable coating
- Supports wide range of socket standards



MOVE M


MOVE M offers high variability – from charging only variant to a combination of connectors and PULL-OUT cables.



Dimensions (mm)	Weight (g)	Product package (mm / kg)
160 × 160 × 106	1300	250 × 250 × 200 / 1,6
Number of sockets	USB-C/A 60W charging	Power cables
1 – 4	0 – 2	2.9m, ending with a plug 25cm WIELAND or WINSTA mini
Number of cables	Connector field	CUT-OUT (mm)
0 – 2 PASS-THRU (optionally PULL-OUTs)	0 – 1, optionally in combination with 2x LAN	148 × 145

MOVE XL

MOVE XL is the larger panel that offers up to 2 cables and connector field, alternatively integration of control system adapter.



Dimensions (mm)	Weight (g)	Product package (mm / kg)
220 × 160 × 106	1650	250 × 300 × 200 / 2,0
Number of sockets	USB-C/A 60W charging	Power cables
2 – 6	0 – 2	2.9m, ending with a plug 25cm WIELAND or WINSTA mini
Number of cables	Connector field	CUT-OUT (mm)
0 – 2 PASS-THRU (optionally PULL-OUTs)	0 – 1, optionally in combination with 2x LAN	208 × 145

COLOURS

MOVE is always offered as a fully painted panel, and in the case of optional colors ALU SILVER and ONYX BLACK, they are paired with SILVER and BLACK painting, respectively.



WHITE

white coating, finely textured surface, fitting RAL 9003



BLACK

black coating, resistant smooth matt surface, fitting RAL 9005



SILVER

silver metallic, resistant matt surface, fitting RAL 9006



ALU SILVER

metallic matt colour on the frame, lid and socket



ONYX BLACK

metallic matt colour on the frame, lid and socket

TECHNICAL DETAILS

Main attributes for all sizes of panel MOVE

USB-C CHARGING SPECIFICATION
PowerDelivery Protocol up to 60W
SOCKETS
230V/10A (EU), 110V/10A (US)
MATERIALS
dural, stainless steel, steel, ABS plastics (sockets)
AVAILABLE IN THIS VERSION FROM
2023

USB-A CHARGING SPECIFICATION
QuickCharge 3.0 (up to 5A)
POWER SUPPLY
110 - 250V, 10A
INGRESS PROTECTION
IP22


POWER CABLES

Panels are always supplied with integrated power cable.



Cable with standard plug type

2.9 meter long cable (not available for US standard)



WINSTA mini

25 cm long pigtail cable with connector (male, 2+PE, 10A)



WIELAND GST18i3

25 cm long pigtail cable with connector (male, 2+PE, 10A)

MOVE XL WITH CONTROL SYSTEM INTEGRATIONS


MOVE XL offers the option to install a control system with dimensions of 55x55mm. Compatible with control systems from 3 manufacturers as standard.

SUPPORTED CONTROL SYSTEMS

MOVE XL supports the direct integration of keypad control systems or bus-based button keypads from three manufacturers. However, it is also possible to custom integrate other solutions within the dimensions of 55 x 55 mm.



CUE
KEYPAD 55



BIAMP IMPERA
ECCHO (PLUS)



EXTRON
MLC 62 SERIES

CABLE INTEGRATION OPTIONS IN THE PANEL

MOVE is always equipped with a cable position insert and a desktop holder for the other end of the cable.

CABLE INSERT AND UNDER TABLE HOLDER

The cable PASS-THRU allows for easy and gentle cable threading through the panel, whether it's passive cables threaded through the panel or user-retractable cables.

The cable insert is easily inserted and secured with a single screw from the bottom after threading the cable through.

Cable holder under the desk for cable length set up



EXTENDED OPTIONS FOR CABLE POSITIONS



INDIVIDUAL CABLE

The cable recommended by us in the given standard.



PASS-THRU BAG

Textile soft custom-made 33 cm bag in black with a metal holder linked to the panel's cable holder. It is provided as an accessory item.



PULL-OUT WITH PULLEY

Textile soft-sewn 65 cm bag (available in black or grey) with a metal holder connected to the panel's cable holder and a versatile pulley suitable for various types of cables.



PULL-OUT WITH PULLEY AND CABLE

PULL-OUT with a cable of your choice (options listed below).

INDIVIDUAL CABLES FOR PASS THRU INTEGRATION

Cable installation is possible before or after the panel is installed in the table. The cable can be fixed according to the desired length using the cable holder on the panel.



Cable HDMI 1.4 (MALE-MALE), 4K 30Hz, awg32/22

HDMI (M-M), 2M	ACA-HMHM-20
HDMI (M-M), 3M	ACA-HMHM-30



Cable HDMI 1.4 (MALE-FEMALE), 4K 30Hz, awg32/22

HDMI (M-F), 2M	ACA-HMHF-20
----------------	-------------



Cable CAT6 RJ45 (MALE-MALE), UTP, AWG26/7

LAN Cat6 (M-M), 2M	ACA-LMLM-20
LAN Cat6 (M-M), 3M	ACA-LMLM-30



Cable USB3.0 (MALE-FEMALE), 5Gbps, AWG28/28, 9 pin

USB-A (M-F), 2M	ACA-AMAF-20
USB-A (M-F), 3M	ACA-AMAF-30



Cable USB-C (MALE-MALE), 3.2 gen1, 10 Gbps

USB-C (M-M), 2M	ACA-CMCM-20
USB-C (M-M), 3M	ACA-CMCM-30



Cable USB-C (MALE-FEMALE), 3.2 gen1, 10 Gbps

USB-C (M-F), 2M	ACA-CMCF-20
-----------------	-------------



Cable with connector Apple Lightning/USB-C (MALE-MALE)

LIGHTNING/USB-C (M-M), 2M	ACA-LMCM-20
---------------------------	-------------



Cable with connector Apple Lightning/USB-A (MALE-MALE)

LIGHTNING/USB-A (M-M), 2M	ACA-LMAM-20
---------------------------	-------------



Cable with integrated switcher USB-C/HDMI (MALE-MALE)

USB-C/HDMI (M-M), 2M	ACA-CMHM-20
----------------------	-------------




Soft fabric bag for PASS-THRU cable position (linked to the panel)

PASS-THRU BAG (no cable)	BLACK	APT-BAG-B
--------------------------	-------	-----------


PULL-OUT CABLE SYSTEM FOR INTEGRATION INTO PASS-THRU IN PANEL

Individually packaged, the PULL-OUT comes with a bracket for attaching to the panel and a pulley for either using your own cable or already equipped with the chosen cable from the manufacturer.




PULL-OUT with cable HDMI 1.4 (MALE-MALE), 4K 30Hz, awg32/22

PULL-OUT & HDMI (M-M), 2M	BLACK	APO-HMHHM-20-B
PULL-OUT & HDMI (M-M), 2M	GREY	APO-HMHHM-20-G
PULL-OUT & HDMI (M-M), 3M	BLACK	APO-HMHHM-30-B
PULL-OUT & HDMI (M-M), 3M	GREY	APO-HMHHM-30-G




PULL-OUT with cable HDMI 1.4 (MALE-FEMALE), 4K 30Hz, awg32/22

PULL-OUT & HDMI (M-F), 2M	BLACK	APO-HMHF-20-B
PULL-OUT & HDMI (M-F), 2M	GREY	APO-HMHF-20-G



PULL-OUT with cable CAT6 RJ45 (MALE-MALE), UTP, AWG26/7

PULL-OUT & LAN Cat6 (M-M), 2M	BLACK	APO-LMLM-20-B
PULL-OUT & LAN Cat6 (M-M), 2M	GREY	APO-LMLM-20-G
PULL-OUT & LAN Cat6 (M-M), 3M	BLACK	APO-LMLM-30-B
PULL-OUT & LAN Cat6 (M-M), 3M	GREY	APO-LMLM-30-G



PULL-OUT with cable USB3.0 (MALE-FEMALE), 5Gbps, AWG28/28, 9 pin

PULL-OUT & USB-A (M-F), 2M	BLACK	APO-AMAF-20-B
PULL-OUT & USB-A (M-F), 2M	GREY	APO-AMAF-20-G
PULL-OUT & USB-A (M-F), 3M	BLACK	APO-AMAF-30-B
PULL-OUT & USB-A (M-F), 3M	GREY	APO-AMAF-30-G




PULL-OUT with cable USB-C (MALE-MALE), 3.2 gen1, 10 Gbps

PULL-OUT & USB-C (M-M), 2M	BLACK	APO-CMCM-20-B
PULL-OUT & USB-C (M-M), 2M	GREY	APO-CMCM-20-G
PULL-OUT & USB-C (M-M), 3M	BLACK	APO-CMCM-30-B
PULL-OUT & USB-C (M-M), 3M	GREY	APO-CMCM-30-G




PULL-OUT with cable USB-C (MALE-FEMALE), 3.2 gen1, 10 Gbps

PULL-OUT & USB-C (M-F), 2M	BLACK	APO-CMCF-20-B
PULL-OUT & USB-C (M-F), 2M	GREY	APO-CMCF-20-G




PULL-OUT with cable connector for Apple Lightning / USB-C (MALE-MALE)

PULL-OUT & LIGHTNING/USB-C (M-M), 2M	BLACK	APO-LMCM-20-B
PULL-OUT & LIGHTNING/USB-C (M-M), 2M	GREY	APO-LMCM-20-G



PULL-OUT with cable connector for Apple Lightning / USB-A (MALE-MALE)

PULL-OUT & LIGHTNING/USB-A (M-M), 2M	BLACK	APO-LMAM-20-B
PULL-OUT & LIGHTNING/USB-A (M-M), 2M	GREY	APO-LMAM-20-G



PULL-OUT with cable USB-C / HDMI (MALE-MALE)

PULL-OUT & USB-C/HDMI (M-M), 2M	BLACK	APO-HMHF-20-B
PULL-OUT & USB-C/HDMI (M-M), 2M	GREY	APO-HMHF-20-G







PULL-OUT WITH PULLEY (no cable)



PULL-OUT BAG with pulley, BLACK	APO-BAG-B
PULL-OUT BAG with pulley, GREY	APO-BAG-G

CONNECTOR FIELD


MOVE offers single connectors or their combinations in one slot in all sizes. Variants with sockets only or sockets with USB-C/A charging are available as well. In case of custom requirements, please contact customer support.



	HDMI
HDMI 2.0b, 4K 60 Hz, to 18Gbps, 150 mm	
	LAN Cat6A (RJ45)
Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, coupler	
	USB-C
USB-C 3.2 GEN 2, 10 Gbps, 150 mm	
	USB-A
USB-A 3.0 GEN 2, 5 Gbps, 150 mm	


	2x LAN Cat6A (RJ45)
Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, coupler	
	HDMI & LAN Cat6A (RJ45)
HDMI 2.0b, 4K 60 Hz, do 18Gbps, 150 mm Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, coupler	
	USB-C & HDMI
USB-C 3.2 GEN 2, 10 Gbps, 150 mm HDMI 2.0b, 4K 60 Hz, to 18Gbps, 150 mm	
	USB-A & HDMI
USB-A 3.0 GEN 2, 5 Gbps, 150 mm HDMI 2.0b, 4K 60 Hz, to 18Gbps, 150 mm	
	USB-C & LAN Cat6A (RJ45)
USB-C 3.2 GEN 2, 10 Gbps, 150 mm Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, coupler	
	USB-A & LAN Cat6A (RJ45)
USB-A 3.0 GEN 2, 5 Gbps, 150 mm Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, coupler	

LIST OF VARIANTS




MOVE M, 4x SOCKETS

BLACK	MOM-4FR-B
WHITE	MOM-4FR-W
SILVER	MOM-4FR-S




MOVE M, 3x SOCKETS, USB-C/A CHARGING

BLACK	MOM-3FR-1AC-B
WHITE	MOM-3FR-1AC-W
SILVER	MOM-3FR-1AC-S




MOVE M, 2x SOCKETS, 2x USB-C/A CHARGING

BLACK	MOM-2FR-2AC-B
WHITE	MOM-2FR-2AC-W
SILVER	MOM-2FR-2AC-S




MOVE M, 3x SOCKET, CONNECTOR FIELD (1 or 2 connectors)

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.




HDMI 2.0b 4K 60Hz, (F-F, 150 mm)

BLACK	MOM-3FR-1H-B
WHITE	MOM-3FR-1H-W
SILVER	MOM-3FR-1H-S




RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOM-3FR-1L-B
WHITE	MOM-3FR-1L-W
SILVER	MOM-3FR-1L-S




USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)

BLACK	MOM-3FR-1C-B
WHITE	MOM-3FR-1C-W
SILVER	MOM-3FR-1C-S




USB-A 3.0, 5 Gbps, (F-F, 150 mm)

BLACK	MOM-3FR-1A-B
WHITE	MOM-3FR-1A-W
SILVER	MOM-3FR-1A-S




2x Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOM-3FR-2L-B
WHITE	MOM-3FR-2L-W
SILVER	MOM-3FR-2L-S




RJ45 Cat6A S/FTP + HDMI 4K 60Hz

BLACK	MOM-3FR-1HL-B
WHITE	MOM-3FR-1HL-W
SILVER	MOM-3FR-1HL-S




USB-C 3.2 gen2 + HDMI 4K 60Hz

BLACK	MOM-3FR-1HC-B
WHITE	MOM-3FR-1HC-W
SILVER	MOM-3FR-1HC-S




USB-A 3.0 + HDMI 4K 60Hz

BLACK	MOM-3FR-1HA-B
WHITE	MOM-3FR-1HA-W
SILVER	MOM-3FR-1HA-S




RJ45 Cat6A S/FTP + USB-C 3.2 gen2

BLACK	MOM-3FR-1CL-B
WHITE	MOM-3FR-1CL-W
SILVER	MOM-3FR-1CL-S




RJ45 Cat6A S/FTP + USB-A 3.0

BLACK	MOM-3FR-1AL-B
WHITE	MOM-3FR-1AL-W
SILVER	MOM-3FR-1AL-S




MOVE M, 2x SOCKET, USB-C/A CHARGING, CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.




HDMI 2.0b 4K 60Hz, (F-F, 150 mm)

BLACK	MOM-2FR-1AC-1H-B
WHITE	MOM-2FR-1AC-1H-W
SILVER	MOM-2FR-1AC-1H-S




RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOM-2FR-1AC-1L-B
WHITE	MOM-2FR-1AC-1L-W
SILVER	MOM-2FR-1AC-1L-S




USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)

BLACK	MOM-2FR-1AC-1C-B
WHITE	MOM-2FR-1AC-1C-W
SILVER	MOM-2FR-1AC-1C-S




USB-A 3.0, 5 Gbps, (F-F, 150 mm)

BLACK	MOM-2FR-1AC-1A-B
WHITE	MOM-2FR-1AC-1A-W
SILVER	MOM-2FR-1AC-1A-S




2x Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOM-2FR-1AC-2L-B
WHITE	MOM-2FR-1AC-2L-W
SILVER	MOM-2FR-1AC-2L-S




RJ45 Cat6A S/FTP + HDMI 4K 60Hz

BLACK	MOM-2FR-1AC-1HL-B
WHITE	MOM-2FR-1AC-1HL-W
SILVER	MOM-2FR-1AC-1HL-S




USB-C 3.2 gen2 + HDMI 4K 60Hz

BLACK	MOM-2FR-1AC-1HC-B
WHITE	MOM-2FR-1AC-1HC-W
SILVER	MOM-2FR-1AC-1HC-S




USB-A 3.0 + HDMI 4K 60Hz

BLACK	MOM-2FR-1AC-1HA-B
WHITE	MOM-2FR-1AC-1HA-W
SILVER	MOM-2FR-1AC-1HA-S




RJ45 Cat6A S/FTP + USB-C 3.2 gen2

BLACK	MOM-2FR-1AC-1CL-B
WHITE	MOM-2FR-1AC-1CL-W
SILVER	MOM-2FR-1AC-1CL-S




RJ45 Cat6A S/FTP + USB-A 3.0

BLACK	MOM-2FR-1AC-1AL-B
WHITE	MOM-2FR-1AC-1AL-W
SILVER	MOM-2FR-1AC-1AL-S




MOVE M, 2x SOCKET, 2x LAN (RJ45), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.




HDMI 2.0b 4K 60Hz, (F-F, 150 mm)

BLACK	MOM-2FR-2L-1H-B
WHITE	MOM-2FR-2L-1H-W
SILVER	MOM-2FR-2L-1H-S




RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOM-2FR-3L-B
WHITE	MOM-2FR-3L-W
SILVER	MOM-2FR-3L-S




USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)

BLACK	MOM-2FR-2L-1C-B
WHITE	MOM-2FR-2L-1C-W
SILVER	MOM-2FR-2L-1C-S




USB-A 3.0, 5 Gbps, (F-F, 150 mm)

BLACK	MOM-2FR-2L-1A-B
WHITE	MOM-2FR-2L-1A-W
SILVER	MOM-2FR-2L-1A-S




2x Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOM-2FR-4L-B
WHITE	MOM-2FR-4L-W
SILVER	MOM-2FR-4L-S




RJ45 Cat6A S/FTP + HDMI 4K 60Hz

BLACK	MOM-2FR-2L-1HL-B
WHITE	MOM-2FR-2L-1HL-W
SILVER	MOM-2FR-2L-1HL-S




USB-C 3.2 gen2 + HDMI 4K 60Hz

BLACK	MOM-2FR-2L-1HC-B
WHITE	MOM-2FR-2L-1HC-W
SILVER	MOM-2FR-2L-1HC-S




USB-A 3.0 + HDMI 4K 60Hz

BLACK	MOM-2FR-2L-1HA-B
WHITE	MOM-2FR-2L-1HA-W
SILVER	MOM-2FR-2L-1HA-S




RJ45 Cat6A S/FTP + USB-C 3.2 gen2

BLACK	MOM-2FR-2L-1CL-B
WHITE	MOM-2FR-2L-1CL-W
SILVER	MOM-2FR-2L-1CL-S



RJ45 Cat6A S/FTP + USB-A 3.0

BLACK	MOM-2FR-2L-1AL-B
WHITE	MOM-2FR-2L-1AL-W
SILVER	MOM-2FR-2L-1AL-S



MOVE M, 1x SOCKET, USB-C/A CHARGING, 2x LAN (RJ45), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

HDMI 2.0b 4K 60Hz, (F-F, 150 mm)

BLACK	MOM-1FR-1AC-2L-1H-B
WHITE	MOM-1FR-1AC-2L-1H-W
SILVER	MOM-1FR-1AC-2L-1H-S

RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOM-1FR-1AC-3L-B
WHITE	MOM-1FR-1AC-3L-W
SILVER	MOM-1FR-1AC-3L-S

USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)

BLACK	MOM-1FR-1AC-2L-1C-B
WHITE	MOM-1FR-1AC-2L-1C-W
SILVER	MOM-1FR-1AC-2L-1C-S

USB-A 3.0, 5 Gbps, (F-F, 150 mm)

BLACK	MOM-1FR-1AC-2L-1A-B
WHITE	MOM-1FR-1AC-2L-1A-W
SILVER	MOM-1FR-1AC-2L-1A-S

2x Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOM-1FR-1AC-4L-B
WHITE	MOM-1FR-1AC-4L-W
SILVER	MOM-1FR-1AC-4L-S

RJ45 Cat6A S/FTP + HDMI 4K 60Hz

BLACK	MOM-1FR-1AC-2L-1HL-B
WHITE	MOM-1FR-1AC-2L-1HL-W
SILVER	MOM-1FR-1AC-2L-1HL-S

USB-C 3.2 gen2 + HDMI 4K 60Hz

BLACK	MOM-1FR-1AC-2L-1HC-B
WHITE	MOM-1FR-1AC-2L-1HC-W
SILVER	MOM-1FR-1AC-2L-1HC-S

USB-A 3.0 + HDMI 4K 60Hz


BLACK	MOM-1FR-1AC-2L-1HA-B
WHITE	MOM-1FR-1AC-2L-1HA-W
SILVER	MOM-1FR-1AC-2L-1HA-S

RJ45 Cat6A S/FTP + USB-C 3.2 gen2

BLACK	MOM-1FR-1AC-2L-1CL-B
WHITE	MOM-1FR-1AC-2L-1CL-W
SILVER	MOM-1FR-1AC-2L-1CL-S

RJ45 Cat6A S/FTP + USB-A 3.0


BLACK	MOM-1FR-1AC-2L-1AL-B
WHITE	MOM-1FR-1AC-2L-1AL-W
SILVER	MOM-1FR-1AC-2L-1AL-S



MOVE M, 3x SOCKET, PASS-THRU (position for cable)

BLACK
WHITE
SILVER


MOM-3FR-1PT-B
MOM-3FR-1PT-W
MOM-3FR-1PT-S



MOVE M, 2x SOCKET, USB-C/A CHARGING, PASS-THRU (position for cable)

BLACK
WHITE
SILVER


MOM-2FR-1AC-1PT-B
MOM-2FR-1AC-1PT-W
MOM-2FR-1AC-1PT-S



MOVE M, 2x SOCKET, 2x PASS-THRU (position for cable)

BLACK
WHITE
SILVER


MOM-2FR-2PT-B
MOM-2FR-2PT-W
MOM-2FR-2PT-S



MOVE M, 1x SOCKET, USB-C/A CHARGING, 2x PASS-THRU (position for cable)


BLACK
WHITE
SILVER


MOM-1FR-1AC-2PT-B
MOM-1FR-1AC-2PT-W
MOM-1FR-1AC-2PT-S



MOVE M, 2x SOCKET, PASS-THRU (position for cable), CONNECTOR FIELD


The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.





MOVE M, 1x SOCKET, USB-C/A CHARGING, PASS-THRU (position for cable), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.



HDMI 2.0b 4K 60Hz, (F-F, 150 mm)

BLACK


MOM-1FR-1AC-1H-1PT-B

WHITE

MOM-1FR-1AC-1H-1PT-W

SILVER

MOM-1FR-1AC-1H-1PT-S



RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK


MOM-1FR-1AC-1L-1PT-B

WHITE

MOM-1FR-1AC-1L-1PT-W

SILVER

MOM-1FR-1AC-1L-1PT-S



USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)

BLACK


MOM-1FR-1AC-1C-1PT-B

WHITE

MOM-1FR-1AC-1C-1PT-W

SILVER

MOM-1FR-1AC-1C-1PT-S



USB-A 3.0, 5 Gbps, (F-F, 150 mm)

BLACK


MOM-1FR-1AC-1A-1PT-B

WHITE

MOM-1FR-1AC-1A-1PT-W

SILVER

MOM-1FR-1AC-1A-1PT-S



2x Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK


MOM-1FR-1AC-2L-1PT-B

WHITE

MOM-1FR-1AC-2L-1PT-W

SILVER

MOM-1FR-1AC-2L-1PT-S



RJ45 Cat6A S/FTP + HDMI 4K 60Hz

BLACK


MOM-1FR-1AC-1HL-1PT-B

WHITE

MOM-1FR-1AC-1HL-1PT-W

SILVER

MOM-1FR-1AC-1HL-1PT-S



USB-C 3.2 gen2 + HDMI 4K 60Hz

BLACK


MOM-1FR-1AC-1HC-1PT-B

WHITE

MOM-1FR-1AC-1HC-1PT-W

SILVER

MOM-1FR-1AC-1HC-1PT-S



USB-A 3.0 + HDMI 4K 60Hz

BLACK


MOM-1FR-1AC-1HA-1PT-B

WHITE

MOM-1FR-1AC-1HA-1PT-W

SILVER

MOM-1FR-1AC-1HA-1PT-S



RJ45 Cat6A S/FTP + USB-C 3.2 gen2

BLACK


MOM-1FR-1AC-1CL-1PT-B

WHITE

MOM-1FR-1AC-1CL-1PT-W

SILVER

MOM-1FR-1AC-1CL-1PT-S



RJ45 Cat6A S/FTP + USB-A 3.0

BLACK


MOM-1FR-1AC-1AL-1PT-B

WHITE

MOM-1FR-1AC-1AL-1PT-W


SILVER

MOM-1FR-1AC-1AL-1PT-S




MOVE XL, 5x SOCKET, USB-C/A CHARGING

BLACK	MOXL-5FR-1AC-B
WHITE	MOXL-5FR-1AC-W
SILVER	MOXL-5FR-1AC-S




MOVE XL 4x SOCKET, 2x USB-C/A CHARGING

BLACK	MOXL-4FR-2AC-B
WHITE	MOXL-4FR-2AC-W
SILVER	MOXL-4FR-2AC-S




MOVE XL, 5x SOCKET, CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.




HDMI 2.0b 4K 60Hz, (F-F, 150 mm)

BLACK	MOXL-5FR-1H-B
WHITE	MOXL-5FR-1H-W
SILVER	MOXL-5FR-1H-S




RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOXL-5FR-1L-B
WHITE	MOXL-5FR-1L-W
SILVER	MOXL-5FR-1L-S




USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)

BLACK	MOXL-5FR-1C-B
WHITE	MOXL-5FR-1C-W
SILVER	MOXL-5FR-1C-S




USB-A 3.0, 5 Gbps, (F-F, 150 mm)

BLACK	MOXL-5FR-1A-B
WHITE	MOXL-5FR-1A-W
SILVER	MOXL-5FR-1A-S




2x Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOXL-5FR-2L-B
WHITE	MOXL-5FR-2L-W
SILVER	MOXL-5FR-2L-S




RJ45 Cat6A S/FTP + HDMI 4K 60Hz

BLACK	MOXL-5FR-1HL-B
WHITE	MOXL-5FR-1HL-W
SILVER	MOXL-5FR-1HL-S




USB-C 3.2 gen2 + HDMI 4K 60Hz

BLACK	MOXL-5FR-1HC-B
WHITE	MOXL-5FR-1HC-W
SILVER	MOXL-5FR-1HC-S




USB-A 3.0 + HDMI 4K 60Hz

BLACK	MOXL-5FR-1HA-B
WHITE	MOXL-5FR-1HA-W
SILVER	MOXL-5FR-1HA-S




RJ45 Cat6A S/FTP + USB-C 3.2 gen2

BLACK	MOXL-5FR-1CL-B
WHITE	MOXL-5FR-1CL-W
SILVER	MOXL-5FR-1CL-S




RJ45 Cat6A S/FTP + USB-A 3.0

BLACK	MOXL-5FR-1AL-B
WHITE	MOXL-5FR-1AL-W
SILVER	MOXL-5FR-1AL-S




MOVE XL, 4x SOCKET, USB-C/A CHARGING, CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.




HDMI 2.0b 4K 60Hz, (F-F, 150 mm)

BLACK	MOXL-4FR-1AC-1H-B
WHITE	MOXL-4FR-1AC-1H-W
SILVER	MOXL-4FR-1AC-1H-S




RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOXL-4FR-1AC-1L-B
WHITE	MOXL-4FR-1AC-1L-W
SILVER	MOXL-4FR-1AC-1L-S




USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)

BLACK	MOXL-4FR-1AC-1C-B
WHITE	MOXL-4FR-1AC-1C-W
SILVER	MOXL-4FR-1AC-1C-S




USB-A 3.0, 5 Gbps, (F-F, 150 mm)

BLACK	MOXL-4FR-1AC-1A-B
WHITE	MOXL-4FR-1AC-1A-W
SILVER	MOXL-4FR-1AC-1A-S




2x Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOXL-4FR-1AC-2L-B
WHITE	MOXL-4FR-1AC-2L-W
SILVER	MOXL-4FR-1AC-2L-S




RJ45 Cat6A S/FTP + HDMI 4K 60Hz

BLACK	MOXL-4FR-1AC-1HL-B
WHITE	MOXL-4FR-1AC-1HL-W
SILVER	MOXL-4FR-1AC-1HL-S




USB-C 3.2 gen2 + HDMI 4K 60Hz

BLACK	MOXL-4FR-1AC-1HC-B
WHITE	MOXL-4FR-1AC-1HC-W
SILVER	MOXL-4FR-1AC-1HC-S




USB-A 3.0 + HDMI 4K 60Hz

BLACK	MOXL-4FR-1AC-1HA-B
WHITE	MOXL-4FR-1AC-1HA-W
SILVER	MOXL-4FR-1AC-1HA-S




RJ45 Cat6A S/FTP + USB-C 3.2 gen2

BLACK	MOXL-4FR-1AC-1CL-B
WHITE	MOXL-4FR-1AC-1CL-W
SILVER	MOXL-4FR-1AC-1CL-S




RJ45 Cat6A S/FTP + USB-A 3.0

BLACK	MOXL-4FR-1AC-1AL-B
WHITE	MOXL-4FR-1AC-1AL-W
SILVER	MOXL-4FR-1AC-1AL-S




MOVE XL, 3x SOCKET, USB-C/A CHARGING, 2x LAN (RJ45), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.




HDMI 2.0b 4K 60Hz, (F-F, 150 mm)

BLACK	MOXL-3FR-1AC-2L-1H-B
WHITE	MOXL-3FR-1AC-2L-1H-W
SILVER	MOXL-3FR-1AC-2L-1H-S




RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOXL-3FR-1AC-3L-B
WHITE	MOXL-3FR-1AC-3L-W
SILVER	MOXL-3FR-1AC-3L-S




USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)

BLACK	MOXL-3FR-1AC-2L-1C-B
WHITE	MOXL-3FR-1AC-2L-1C-W
SILVER	MOXL-3FR-1AC-2L-1C-S




USB-A 3.0, 5 Gbps, (F-F, 150 mm)

BLACK	MOXL-3FR-1AC-2L-1A-B
WHITE	MOXL-3FR-1AC-2L-1A-W
SILVER	MOXL-3FR-1AC-2L-1A-S




2x Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MOXL-3FR-1AC-4L-B
WHITE	MOXL-3FR-1AC-4L-W
SILVER	MOXL-3FR-1AC-4L-S




RJ45 Cat6A S/FTP + HDMI 4K 60Hz

BLACK	MOXL-3FR-1AC-2L-1HL-B
WHITE	MOXL-3FR-1AC-2L-1HL-W
SILVER	MOXL-3FR-1AC-2L-1HL-S




USB-C 3.2 gen2 + HDMI 4K 60Hz

BLACK	MOXL-3FR-1AC-2L-1HC-B
WHITE	MOXL-3FR-1AC-2L-1HC-W
SILVER	MOXL-3FR-1AC-2L-1HC-S




USB-A 3.0 + HDMI 4K 60Hz

BLACK	MOXL-3FR-1AC-2L-1HA-B
WHITE	MOXL-3FR-1AC-2L-1HA-W
SILVER	MOXL-3FR-1AC-2L-1HA-S




RJ45 Cat6A S/FTP + USB-C 3.2 gen2

BLACK	MOXL-3FR-1AC-2L-1CL-B
WHITE	MOXL-3FR-1AC-2L-1CL-W
SILVER	MOXL-3FR-1AC-2L-1CL-S













RJ45 Cat6A S/FTP + USB-A 3.0


BLACK	MOXL-3FR-1AC-2L-1AL-B
WHITE	MOXL-3FR-1AC-2L-1AL-W
SILVER	MOXL-3FR-1AC-2L-1AL-S



MOVE XL, 3x SOCKET, USB-C/A CHARGING, PASS-THRU (for cable), CONNECTOR FIELD

The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.


	HDMI 2.0b 4K 60Hz, (F-F, 150 mm)			RJ45 Cat6A S/FTP + HDMI 4K 60Hz	
	BLACK	MOXL-3FR-1AC-1H-IPT-B		BLACK	MOXL-3FR-1AC-1HL-IPT-B
	WHITE	MOXL-3FR-1AC-1H-IPT-W		WHITE	MOXL-3FR-1AC-1HL-IPT-W
	SILVER	MOXL-3FR-1AC-1H-IPT-S		SILVER	MOXL-3FR-1AC-1HL-IPT-S
	RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)			USB-C 3.2 gen2 + HDMI 4K 60Hz	
	BLACK	MOXL-3FR-1AC-1L-IPT-B		BLACK	MOXL-3FR-1AC-1HC-IPT-B
	WHITE	MOXL-3FR-1AC-1L-IPT-W		WHITE	MOXL-3FR-1AC-1HC-IPT-W
	SILVER	MOXL-3FR-1AC-1L-IPT-S		SILVER	MOXL-3FR-1AC-1HC-IPT-S
	USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)			USB-A 3.0 + HDMI 4K 60Hz	
	BLACK	MOXL-3FR-1AC-1C-IPT-B		BLACK	MOXL-3FR-1AC-1HA-IPT-B
	WHITE	MOXL-3FR-1AC-1C-IPT-W		WHITE	MOXL-3FR-1AC-1HA-IPT-W
	SILVER	MOXL-3FR-1AC-1C-IPT-S		SILVER	MOXL-3FR-1AC-1HA-IPT-S
	USB-A 3.0, 5 Gbps, (F-F, 150 mm)			RJ45 Cat6A S/FTP + USB-C 3.2 gen2	
	BLACK	MOXL-3FR-1AC-1A-IPT-B		BLACK	MOXL-3FR-1AC-1CL-IPT-B
	WHITE	MOXL-3FR-1AC-1A-IPT-W		WHITE	MOXL-3FR-1AC-1CL-IPT-W
	SILVER	MOXL-3FR-1AC-1A-IPT-S		SILVER	MOXL-3FR-1AC-1CL-IPT-S
	2x Cat6A S/FTP, 10GBase-T (F-F, coupler)			RJ45 Cat6A S/FTP + USB-A 3.0	
	BLACK	MOXL-3FR-1AC-2L-IPT-B		BLACK	MOXL-3FR-1AC-1AL-IPT-B
	WHITE	MOXL-3FR-1AC-2L-IPT-W		WHITE	MOXL-3FR-1AC-1AL-IPT-W
	SILVER	MOXL-3FR-1AC-2L-IPT-S		SILVER	MOXL-3FR-1AC-1AL-IPT-S



MOVE XL, 2x SOCKET, USB-C/A CHARGING, 2x PASS-THRU (for cable), CONNECTOR FIELD


The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

	HDMI 2.0b 4K 60Hz, (F-F, 150 mm)			RJ45 Cat6A S/FTP + HDMI 4K 60Hz
BLACK	MOXL-2FR-1AC-1H-2PT-B		BLACK	MOXL-2FR-1AC-1HL-2PT-B
WHITE	MOXL-2FR-1AC-1H-2PT-W		WHITE	MOXL-2FR-1AC-1HL-2PT-W
SILVER	MOXL-2FR-1AC-1H-2PT-S		SILVER	MOXL-2FR-1AC-1HL-2PT-S
	RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)			USB-C 3.2 gen2 + HDMI 4K 60Hz
BLACK	MOXL-2FR-1AC-1L-2PT-B		BLACK	MOXL-2FR-1AC-1HC-2PT-B
WHITE	MOXL-2FR-1AC-1L-2PT-W		WHITE	MOXL-2FR-1AC-1HC-2PT-W
SILVER	MOXL-2FR-1AC-1L-2PT-S		SILVER	MOXL-2FR-1AC-1HC-2PT-S
	USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)			USB-A 3.0 + HDMI 4K 60Hz
BLACK	MOXL-2FR-1AC-1C-2PT-B		BLACK	MOXL-2FR-1AC-1HA-2PT-B
WHITE	MOXL-2FR-1AC-1C-2PT-W		WHITE	MOXL-2FR-1AC-1HA-2PT-W
SILVER	MOXL-2FR-1AC-1C-2PT-S		SILVER	MOXL-2FR-1AC-1HA-2PT-S
	USB-A 3.0, 5 Gbps, (F-F, 150 mm)			RJ45 Cat6A S/FTP + USB-C 3.2 gen2
BLACK	MOXL-2FR-1AC-1A-2PT-B		BLACK	MOXL-2FR-1AC-1CL-2PT-B
WHITE	MOXL-2FR-1AC-1A-2PT-W		WHITE	MOXL-2FR-1AC-1CL-2PT-W
SILVER	MOXL-2FR-1AC-1A-2PT-S		SILVER	MOXL-2FR-1AC-1CL-2PT-S
	2x Cat6A S/FTP, 10GBase-T (F-F, coupler)			RJ45 Cat6A S/FTP + USB-A 3.0
BLACK	MOXL-2FR-1AC-2L-2PT-B		BLACK	MOXL-2FR-1AC-1AL-2PT-B
WHITE	MOXL-2FR-1AC-2L-2PT-W		WHITE	MOXL-2FR-1AC-1AL-2PT-W
SILVER	MOXL-2FR-1AC-2L-2PT-S		SILVER	MOXL-2FR-1AC-1AL-2PT-S




MOVE XL, 5x SOCKET, PASS-THRU (for cable)

BLACK	MOXL-5FR-1PT-B
WHITE	MOXL-5FR-1PT-W
SILVER	MOXL-5FR-1PT-S




MOVE XL, 4x SOCKET, USB-C/A CHARGING, PASS-THRU (for cable)

BLACK	MOXL-4FR-1AC-1PT-B
WHITE	MOXL-4FR-1AC-1PT-W
SILVER	MOXL-4FR-1AC-1PT-S




MOVE XL, 4x SOCKET, 2x PASS-THRU (for cable)

BLACK	MOXL-4FR-2PT-B
WHITE	MOXL-4FR-2PT-W
SILVER	MOXL-4FR-2PT-S



MOVE XL, 3x SOCKET, USB-C/A CHARGING, 2x PASS-THRU (for cable)


BLACK	MOXL-3FR-1AC-2PT-B
WHITE	MOXL-3FR-1AC-2PT-W
SILVER	MOXL-3FR-1AC-2PT-S



MOVE XL, 3x SOCKET, 3x PASS-THRU (for cable)

BLACK
WHITE
SILVER


MOXL-3FR-3PT-B
MOXL-3FR-3PT-W
MOXL-3FR-3PT-S



MOVE XL, 2x SOCKET, USB-C/A CHARGING, 3x PASS-THRU (for cable)

BLACK
WHITE
SILVER


MOXL-2FR-1AC-3PT-B
MOXL-2FR-1AC-3PT-W
MOXL-2FR-1AC-3PT-S



MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, POSITION FOR CONTROL SYSTEM

BLACK
WHITE
SILVER


MOXL-2FR-1AC-1PT-CUE-B
MOXL-2FR-1AC-1PT-CUE-W
MOXL-2FR-1AC-1PT-CUE-S



MOVE XL, 1x SOCKET, USB-C/A CHARGING, 2x PASS-THRU, POSITION FOR CONTROL SYSTEM


BLACK
WHITE
SILVER


MOXL-1FR-1AC-2PT-CUE-B
MOXL-1FR-1AC-2PT-CUE-W
MOXL-1FR-1AC-2PT-CUE-S



MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, CONNECTOR FIELD, POSITION FOR C.S.


The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.






MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, POSITION FOR CONTROL SYSTEM

BLACK	MOXL-2FR-1AC-1PT-BMP-B
WHITE	MOXL-2FR-1AC-1PT-BMP-W
SILVER	MOXL-2FR-1AC-1PT-BMP-S



MOVE XL, 1x SOCKET, USB-C/A CHARGING, 2x PASS-THRU, POSITION FOR CONTROL SYSTEM


BLACK	MOXL-1FR-1AC-2PT-BMP-B
WHITE	MOXL-1FR-1AC-2PT-BMP-W
SILVER	MOXL-1FR-1AC-2PT-BMP-S



MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, CONNECTOR FIELD, POSITION FOR C.S.


The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

	HDMI 2.0b 4K 60Hz, (F-F, 150 mm)		RJ45 Cat6A S/FTP + HDMI 4K 60Hz
BLACK	MOXL-2FR-1AC-1H-BMP-B	BLACK	MOXL-2FR-1AC-1HL-BMP-B
WHITE	MOXL-2FR-1AC-1H-BMP-W	WHITE	MOXL-2FR-1AC-1HL-BMP-W
SILVER	MOXL-2FR-1AC-1H-BMP-S	SILVER	MOXL-2FR-1AC-1HL-BMP-S
	RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)		USB-C 3.2 gen2 + HDMI 4K 60Hz
BLACK	MOXL-2FR-1AC-1L-BMP-B	BLACK	MOXL-2FR-1AC-1HC-BMP-B
WHITE	MOXL-2FR-1AC-1L-BMP-W	WHITE	MOXL-2FR-1AC-1HC-BMP-W
SILVER	MOXL-2FR-1AC-1L-BMP-S	SILVER	MOXL-2FR-1AC-1HC-BMP-S
	USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)		USB-A 3.0 + HDMI 4K 60Hz
BLACK	MOXL-2FR-1AC-1C-BMP-B	BLACK	MOXL-2FR-1AC-1HA-BMP-B
WHITE	MOXL-2FR-1AC-1C-BMP-W	WHITE	MOXL-2FR-1AC-1HA-BMP-W
SILVER	MOXL-2FR-1AC-1C-BMP-S	SILVER	MOXL-2FR-1AC-1HA-BMP-S
	USB-A 3.0, 5 Gbps, (F-F, 150 mm)		RJ45 Cat6A S/FTP + USB-C 3.2 gen2
BLACK	MOXL-2FR-1AC-1A-BMP-B	BLACK	MOXL-2FR-1AC-1CL-BMP-B
WHITE	MOXL-2FR-1AC-1A-BMP-W	WHITE	MOXL-2FR-1AC-1CL-BMP-W
SILVER	MOXL-2FR-1AC-1A-BMP-S	SILVER	MOXL-2FR-1AC-1CL-BMP-S
	2x Cat6A S/FTP, 10GBase-T (F-F, coupler)		RJ45 Cat6A S/FTP + USB-A 3.0
BLACK	MOXL-2FR-1AC-2L-BMP-B	BLACK	MOXL-2FR-1AC-1AL-BMP-B
WHITE	MOXL-2FR-1AC-2L-BMP-W	WHITE	MOXL-2FR-1AC-1AL-BMP-W
SILVER	MOXL-2FR-1AC-2L-BMP-S	SILVER	MOXL-2FR-1AC-1AL-BMP-S




MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, POSITION FOR CONTROL SYSTEM

BLACK	MOXL-2FR-1AC-1PT-EXT-B
WHITE	MOXL-2FR-1AC-1PT-EXT-W
SILVER	MOXL-2FR-1AC-1PT-EXT-S



MOVE XL, 1x SOCKET, USB-C/A CHARGING, 2x PASS-THRU, POSITION FOR CONTROL SYSTEM

BLACK	MOXL-1FR-1AC-2PT-EXT-B
WHITE	MOXL-1FR-1AC-2PT-EXT-W
SILVER	MOXL-1FR-1AC-2PT-EXT-S



MOVE XL, 2x SOCKET, USB-C/A CHARGING, PASS-THRU, CONNECTOR FIELD, POSITION FOR C.S.


The connector field contains one or two connectors as shown below. These are equipped with pigtail cables of the specified length and are extended from the panel.

	HDMI 2.0b 4K 60Hz, (F-F, 150 mm)			RJ45 Cat6A S/FTP + HDMI 4K 60Hz	
	BLACK	MOXL-2FR-1AC-1H-EXT-B		BLACK	MOXL-2FR-1AC-1HL-EXT-B
	WHITE	MOXL-2FR-1AC-1H-EXT-W		WHITE	MOXL-2FR-1AC-1HL-EXT-W
	SILVER	MOXL-2FR-1AC-1H-EXT-S		SILVER	MOXL-2FR-1AC-1HL-EXT-S
	RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)			USB-C 3.2 gen2 + HDMI 4K 60Hz	
	BLACK	MOXL-2FR-1AC-1L-EXT-B		BLACK	MOXL-2FR-1AC-1HC-EXT-B
	WHITE	MOXL-2FR-1AC-1L-EXT-W		WHITE	MOXL-2FR-1AC-1HC-EXT-W
	SILVER	MOXL-2FR-1AC-1L-EXT-S		SILVER	MOXL-2FR-1AC-1HC-EXT-S
	USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)			USB-A 3.0 + HDMI 4K 60Hz	
	BLACK	MOXL-2FR-1AC-1C-EXT-B		BLACK	MOXL-2FR-1AC-1HA-EXT-B
	WHITE	MOXL-2FR-1AC-1C-EXT-W		WHITE	MOXL-2FR-1AC-1HA-EXT-W
	SILVER	MOXL-2FR-1AC-1C-EXT-S		SILVER	MOXL-2FR-1AC-1HA-EXT-S
	USB-A 3.0, 5 Gbps, (F-F, 150 mm)			RJ45 Cat6A S/FTP + USB-C 3.2 gen2	
	BLACK	MOXL-2FR-1AC-1A-EXT-B		BLACK	MOXL-2FR-1AC-1CL-EXT-B
	WHITE	MOXL-2FR-1AC-1A-EXT-W		WHITE	MOXL-2FR-1AC-1CL-EXT-W
	SILVER	MOXL-2FR-1AC-1A-EXT-S		SILVER	MOXL-2FR-1AC-1CL-EXT-S
	2x Cat6A S/FTP, 10GBase-T (F-F, coupler)			RJ45 Cat6A S/FTP + USB-A 3.0	
	BLACK	MOXL-2FR-1AC-2L-EXT-B		BLACK	MOXL-2FR-1AC-1AL-EXT-B
	WHITE	MOXL-2FR-1AC-2L-EXT-W		WHITE	MOXL-2FR-1AC-1AL-EXT-W
	SILVER	MOXL-2FR-1AC-2L-EXT-S		SILVER	MOXL-2FR-1AC-1AL-EXT-S

INSTALLATION INSTRUCTION

MOVE is installed into a cut or milled opening in the tabletop.

The installation of the MOVE panel requires a circular saw and a cordless drill with wood drill bits. CNC milling can be utilized as part of the production of tabletops.



- 1 | Mark two opposite corners and drill them.
- 2 | Cut the shape between the holes according to the CUT-OUT in the installation manual using a circular saw.
- 3 | Insert the panel into the opening, place the mounting frame from below, and tighten the screws according to the strength of the tabletop.
- 4 | Attach the PASS-THRU BAG or PULL-OUTS, connect the AV signals, and plug the panel into the power outlet.

PRODUCT PACKAGE

Panel MOVE with power cable, mounting frame, mounting screws

THICKNESS OF THE DESK

10 - 40 mm (possibility up to 60 mm with custom screws, not part of a standard package)

INSTALLATION MANUAL

panconnect.eu/en/download/



SAFETY & RECYCLATION



PANCONNECT declares that panel MOVE complies with Low voltage directive 2014/35/EU and EMC directive 2014/30/EU. Testing has been made according to EN 50491-5-1:2010 and EN 50491-5-2:2010 standards.



All products from PANCONNECT are intended for upgrade or recycling in accordance with the company's policy. Before the disposal of this panel comes up, please verify if this product can or cannot be upgraded or overhauled. If it's not possible, kindly arrange the disposal in accordance with valid EU directives.



This product belongs to WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (WEEE) category so the disposal is possible only in accordance with this WEEE Directive 2012/19/EU. It cannot be part of the municipal waste. For more information please check www.asekol.cz | info@asekol.cz

ABOUT THE MANUFACTURER

panconnect•

PANCONNECT s.r.o.
Olomoucká 601/51, 618 00 Brno
Pobřežní 249/46, 186 00 Praha
ID: 29265703, VAT ID: CZ29265703

sales@panconnect.eu, +420 603 575 486
support@panconnect.eu, +420 731 145 272
web: www.panconnect.eu
portal and configurator: pro.panconnect.eu