



MODULAR

FLAT



FLAT represents a range of 4 panels with maximum versatility in configuration. It is always equipped with USB-C/A charging and wireless charging. The metal chassis is complemented by FENIX NTM material, giving the panel a simple and elegant appearance. Precision-milled parts bring a revitalization to the universal simple shapes through subtle details. The integrable modules are all-metal, just like the panel chassis. The FLAT PLUS includes a position with preparation for button control systems from multiple manufacturers.

- Configurable with connectors and cables
- Integrated wireless charging (Qi)
- Offers 60W USB-C PD & USB-A QC
- Metal body with FENIX NTM and durable coating
- Possible integration of 55mm control systems
- Supports wide range of socket standards



FLAT M

The smallest of the FLAT panels with a single position for a module or purely as a charging variant.



Dimensions (mm)	Weight(g)	Product package (mm / kg)
227,5 × 73 × 81	920	360 × 200 × 100 / 1,3
Number of sockets	USB-C/A 60W charging	Power cable
1 - 2	YES	2.9m, ending with a plug 25cm WIELAND or WINSTA mini
Wireless charging	Number of modules	CUT OUT(mm)
YES	0 - 1	222,5 × 62

FLAT L

A highly versatile panel for combining retractable cable, connector module, socket, and fast charging.



Dimensions (mm)	Weight(g)	Product package (mm / kg)
279 × 73 × 81	1060	360 × 200 × 100 / 1,5
Number of sockets	USB-C/A 60W charging	Power cable
1 - 3	YES	2.9m, ending with a plug 25cm WIELAND or WINSTA mini
Wireless charging	Number of modules	CUT OUT(mm)
YES	0 - 2	265 × 62

FLAT XL

Up to 3 modular positions combined with fast charging and a socket.



Dimensions (mm)	Weight(g)	Product package (mm / kg)
330,5 × 73 × 81	1220	400 × 200 × 100 / 1,6
Number of sockets	USB-C/A 60W charging	Power cable
1 - 4	YES	2.9m, ending with a plug 25cm WIELAND or WINSTA mini
Wireless charging	Number of modules	CUT OUT(mm)
YES	0 - 3	316,5 × 62

FLAT PLUS

A unique combination of a panel with the integration of a keypad control system in the standard 55x55mm size.



Dimensions (mm)	Weight(g)	Product package (mm / kg)
360 × 73 × 81	1400	400 × 200 × 100 / 1,8
Number of sockets	USB-C/A 60W charging	Power cable
1 - 3	YES	2.9m, ending with a plug 25cm WIELAND or WINSTA mini
Wireless charging	Number of modules	CUT OUT(mm)
YES	0 - 2	352 × 64

COLOURS

FLAT is always offered as a fully painted panel, including the bottom cover and mounting frame.

 **WHITE**
white coating, finely textured surface, fitting RAL 9003

 **BLACK**
black coating, resistant smooth matt surface, fitting RAL 9005

 **SILVER**
silver metallic, resistant matt surface, fitting RAL 9006

TECHNICAL DETAILS

Main attributes for all sizes of panel FLAT

USB-C CHARGING SPECIFICATION

PowerDelivery protocol up to 60W

USB-A CHARGING SPECIFICATIONS

QuickCharge 3.0 (up to 5A)

SOCKET

230V/10A (EU), 110V/10A (US)

POWER SUPPLY

110 - 250V, 10A

MATERIALS

dural, stainless steel, steel, ABS plastics (sockets)

INGRESS PROTECTION

IP22

AVAILABLE IN THIS VERSION FROM

2023

POWER CABLES

Panels are always supplied with integrated power cables.

 **Cable with standard plug type**
2.9 meter long cable (not available for US standard)

 **WINSTA mini**
25 cm long pigtail cable with connector (male, 2+PE, 10A)

 **WIELAND GST18i3**
25 cm long pigtail cable with connector (male, 2+PE, 10A)

FLAT PLUS WITH CONTROL SYSTEM INTEGRATIONS


FLAT offers the option to install a control system with dimensions of 55x55mm. Compatible with control systems from 3 manufacturers as standard.

SUPPORTED CONTROL SYSTEMS

FLAT PLUS supports the direct integration of keypad control systems or bus-based button keypads from three manufacturers. However, it is also possible to custom integrate other solutions within the dimensions of 55 x 55 mm.



CUE
KEYPAD 55




BIAMP IMPERA
ECCHO (PLUS)



EXTRON
MLC 62 SERIES

HOW TO CONFIGURE PANEL FLAT

It is possible to configure panel FLAT using connector or cable modules only. Modules are supplied separately.



CABLE SYSTEM FOR PANEL FLAT



PASS-THRU FABRIC BAG

A simple sewn bag, 32 cm in length, with a metal handle for attaching to the panel module. The bag combines durable fabric with a PVC coating and flexible mesh for maximum protection of extended cables under the table.



PULL-OUT WITH SOFT BAG AND PULLEY

A textile bag system measuring 66 cm in length and a pulley for easy cable extraction up to a length of 96 cm. The PULL-OUT has a natural brake when the cable is placed on the table. The weight allows for adjustment according to the cable type to reduce strain.



PULL-OUT WITH BRACED BAG AND PULLEY

A reinforced textile bag system (with reinforced sidewalls) measuring 66 cm in length and a pulley for easy cable extraction up to a length of 96 cm. The weight allows for adjustment according to the cable type to reduce strain.

LIST OF VARIANTS



FLAT M, 2x SOCKET, USB-C/A & WIRELESS CHARGING

BLACK	FLMS-CAQ-2UN-B
WHITE	FLMS-CAQ-2UN-W
SILVER	FLMS-CAQ-2UN-S



FLAT M, 1x SOCKET, USB-C/A & WIRELESS CHARGING, 1x MODULE SLOT

BLACK	FLMS-CAQ-1UN-B
WHITE	FLMS-CAQ-1UN-W
SILVER	FLMS-CAQ-1UN-S



FLAT L, 3x SOCKET, USB-C/A & WIRELESS CHARGING

BLACK	FLLS-CAQ-3UN-B
WHITE	FLLS-CAQ-3UN-W
SILVER	FLLS-CAQ-3UN-S



FLAT L, 2x SOCKET, USB-C/A & WIRELESS CHARGING, 1x MODULE SLOT

BLACK	FLLS-CAQ-2UN-B
WHITE	FLLS-CAQ-2UN-W
SILVER	FLLS-CAQ-2UN-S



FLAT L, 1x SOCKET, USB-C/A & WIRELESS CHARGING, 2x MODULE SLOT

BLACK	FLLS-CAQ-1UN-B
WHITE	FLLS-CAQ-1UN-W
SILVER	FLLS-CAQ-1UN-S



FLAT XL, 4x SOCKET, USB-C/A & WIRELESS CHARGING

BLACK	FLXS-CAQ-4UN-B
WHITE	FLXS-CAQ-4UN-W
SILVER	FLXS-CAQ-4UN-S



FLAT XL, 3x SOCKET, USB-C/A & WIRELESS CHARGING, 1x MODULE SLOT

BLACK	FLXS-CAQ-3UN-B
WHITE	FLXS-CAQ-3UN-W
SILVER	FLXS-CAQ-3UN-S




FLAT XL, 2x SOCKET, USB-C/A & WIRELESS CHARGING, 2x MODULE SLOT

BLACK	FLXS-CAQ-2UN-B
WHITE	FLXS-CAQ-2UN-W
SILVER	FLXS-CAQ-2UN-S



FLAT XL, 1x SOCKET, USB-C/A & WIRELESS CHARGING, 3x MODULE SLOT

BLACK	FLXS-CAQ-1UN-B
WHITE	FLXS-CAQ-1UN-W
SILVER	FLXS-CAQ-1UN-S



FLAT PLUS, 3x SOCKET, USB-C/A & WIRELESS CHARGING, CUE SLOT

BLACK	FLCS-CAQ-3UN-B
WHITE	FLCS-CAQ-3UN-W
SILVER	FLCS-CAQ-3UN-S



FLAT PLUS, 3x SOCKET, USB-C/A & WIRELESS CHARGING, BIAMP IMPERA SLOT

BLACK	FLNS-CAQ-3UN-B
WHITE	FLNS-CAQ-3UN-W
SILVER	FLNS-CAQ-3UN-S



FLAT PLUS, 3x SOCKET, USB-C/A & WIRELESS CHARGING, EXTRON MLC 62 SLOT

BLACK	FLES-CAQ-3UN-B
WHITE	FLES-CAQ-3UN-W
SILVER	FLES-CAQ-3UN-S



**FLAT PLUS, 2x SOCKET, USB-C/A & WIRELESS CHARGING
1x MODULE SLOT, CUE KEYPAD 55 SLOT**

BLACK	FLCS-CAQ-2UN-B
WHITE	FLCS-CAQ-2UN-W
SILVER	FLCS-CAQ-2UN-S



**FLAT PLUS, 2x SOCKET, USB-C/A & WIRELESS CHARGING
1x MODULE SLOT, BIAMP IMPERA SLOT**

BLACK	FLNS-CAQ-2UN-B
WHITE	FLNS-CAQ-2UN-W
SILVER	FLNS-CAQ-2UN-S



**FLAT PLUS, 2x SOCKET, USB-C/A & WIRELESS CHARGING
1x MODULE SLOT, POZICE PRO EXTRON MLC 62 SERIES**

BLACK	FLES-CAQ-2UN-B
WHITE	FLES-CAQ-2UN-W
SILVER	FLES-CAQ-2UN-S



**FLAT PLUS, 1x SOCKET, USB-C/A & WIRELESS CHARGING
2x MODULE SLOT, CUE KEYPAD 55 SLOT**

BLACK	FLCS-CAQ-1UN-B
WHITE	FLCS-CAQ-1UN-W
SILVER	FLCS-CAQ-1UN-S



**FLAT PLUS, 1x SOCKET, USB-C/A & WIRELESS CHARGING
2x MODULE SLOT, BIAMP IMPERA SLOT**

BLACK	FLNS-CAQ-1UN-B
WHITE	FLNS-CAQ-1UN-W
SILVER	FLNS-CAQ-1UN-S



**FLAT PLUS, 1x SOCKET, USB-C/A & WIRELESS CHARGING
2x MODULE SLOT, EXTRON MLC 62 SERIES SLOT**

BLACK	FLES-CAQ-1UN-B
WHITE	FLES-CAQ-1UN-W
SILVER	FLES-CAQ-1UN-S

CONNECTORS AND SPECIAL MODULES FOR PANEL FLAT



HDMI 2.0b 4K 60Hz, (F-F, 150 mm)

BLACK	MSPC-HF-B
WHITE	MSPC-HF-W
SILVER	MSPC-HF-S



USB-C 3.2 gen2 (F-M) + HDMI 4K 60Hz (F-F)

BLACK	MSPC-HFCM-B
WHITE	MSPC-HFCM-W
SILVER	MSPC-HFCM-S



RJ45 Cat6A S/FTP, 10GBase-T (F-F, coupler)

BLACK	MSPC-LF-B
WHITE	MSPC-LF-W
SILVER	MSPC-LF-S



USB-A 3.0 (F-F) + HDMI 4K 60Hz (F-F)

BLACK	MSPC-HFAF-B
WHITE	MSPC-HFAF-W
SILVER	MSPC-HFAF-S



USB-C 3.2 gen2 10 Gbps (F-F, 150 mm)

BLACK	MSPC-CM-B
WHITE	MSPC-CM-W
SILVER	MSPC-CM-S



RJ45 Cat6A S/FTP (F-F) + USB-C 3.2 gen2 (F-M)

BLACK	MSPC-CMLF-B
WHITE	MSPC-CMLF-W
SILVER	MSPC-CMLF-S



USB-A 3.0, 5 Gbps, (F-F, 150 mm)

BLACK	MSPC-AF-B
WHITE	MSPC-AF-W
SILVER	MSPC-AF-S



RJ45 Cat6A S/FTP (F-F) + USB-A 3.0 (F-F)

BLACK	MSPC-AFLF-B
WHITE	MSPC-AFLF-W
SILVER	MSPC-AFLF-S



2x Cat6A S/FTP, 10GBase-T (F-F)

BLACK	MSPC-2LF-B
WHITE	MSPC-2LF-W
SILVER	MSPC-2LF-S



VGA HD 15 pin (F-F) + Audio 3,5mm, 3pin (F-F)

BLACK	MSPC-VFOF-B
WHITE	MSPC-VFOF-W
SILVER	MSPC-VFOF-S



RJ45 Cat6A S/FTP (F-F) + HDMI 4K 60Hz (F-F)

BLACK	MSPC-HFLF-B
WHITE	MSPC-HFLF-W
SILVER	MSPC-HFLF-S



XLR 16 A (F-direct 3pin)

BLACK	MSPC-XM-B
WHITE	MSPC-XM-W
SILVER	MSPC-XM-S



BLANK MODULE

BLACK	MSPC-BM-B
WHITE	MSPC-BM-W
SILVER	MSPC-BM-S



CUSTOM MODULE (1 or 2 connectors)

BLACK	MSPC-CUS-B
WHITE	MSPC-CUS-W
SILVER	MSPC-CUS-S



MULTIPLE CABLE PASS-THRU

BLACK	MSFLPTM-B
WHITE	MSFLPTM-W
SILVER	MSFLPTM-S

EMPTY CABLE MODULES FOR PANEL FLAT



MODULE WITH PASS-THRU FABRIC BAG (no cable)

PULL-OUT BAG with pulley (black)	BLACK	MPTB-EMP-B
	WHITE	MPTB-EMP-W
	SILVER	MPTB-EMP-S



MODULE WITH PULL-OUT SOFT BAG AND PULLEY (no cable)

PULL-OUT BAG with pulley (black)	BLACK	MPOS-EMP-B
PULL-OUT BAG with pulley (grey)	WHITE	MPOS-EMP-W
PULL-OUT BAG with pulley (grey)	SILVER	MPOS-EMP-S



MODULE WITH PULL-OUT BRACED BAG AND PULLEY (no cable)

PULL-OUT BAG with pulley (black)	BLACK	MPOH-EMP-B
PULL-OUT BAG with pulley (grey)	WHITE	MPOH-EMP-W
PULL-OUT BAG with pulley (grey)	SILVER	MPOH-EMP-S

MATRIX OF CABLE MODULES WITH CABLES FOR PANEL FLAT

For each cable, it is possible to choose one of three bags, PASS-THRU without pulley, and two types of cable system PULL-OUT with pulleys.


			PASS-THRU TEXTILE BAG 	PULL-OUT WITH SOFT BAG AND PULLEY 	PULL-OUT WITH BRACED BAG AND PULLEY 
	MODULE WITH CABLE HDMI 1.4 (MALE-MALE), 4K 30Hz, awg32/22				
	HDMI (M-M), 2M	BLACK WHITE SILVER	MPTB-HMHM-20-B MPTB-HMHM-20-W MPTB-HMHM-20-S	MPOS-HMHM-20-B MPOS-HMHM-20-W MPOS-HMHM-20-S	MPOH-HMHM-20-B MPOH-HMHM-20-W MPOH-HMHM-20-S
	HDMI (M-M), 3M	BLACK WHITE SILVER	MPTB-HMHM-30-B MPTB-HMHM-30-W MPTB-HMHM-30-S	MPOS-HMHM-30-B MPOS-HMHM-30-W MPOS-HMHM-30-S	MPOH-HMHM-30-B MPOH-HMHM-30-W MPOH-HMHM-30-S
		MODULE WITH CABLE HDMI 1.4 (MALE-FEMALE), 4K 30Hz, awg32/22			
HDMI (M-F), 2M		BLACK WHITE SILVER	MPTB-HMHF-20-B MPTB-HMHF-20-W MPTB-HMHF-20-S	MPOS-HMHF-20-B MPOS-HMHF-20-W MPOS-HMHF-20-S	MPOH-HMHF-20-B MPOH-HMHF-20-W MPOH-HMHF-20-S
	MODULE WITH CABLE CAT6 RJ45 (MALE-MALE), UTP, AWG26/7				
	LAN Cat6 (M-M), 2M	BLACK WHITE SILVER	MPTB-LMLM-20-B MPTB-LMLM-20-W MPTB-LMLM-20-S	MPOS-LMLM-20-B MPOS-LMLM-20-W MPOS-LMLM-20-S	MPOH-LMLM-20-B MPOH-LMLM-20-W MPOH-LMLM-20-S
	LAN Cat6 (M-M), 3M	BLACK WHITE SILVER	MPTB-LMLM-30-B MPTB-LMLM-30-W MPTB-LMLM-30-S	MPOS-LMLM-30-B MPOS-LMLM-30-W MPOS-LMLM-30-S	MPOH-LMLM-30-B MPOH-LMLM-30-W MPOH-LMLM-30-S
		MODULE WITH CABLE USB3.0 (MALE-FEMALE), 5Gbps, AWG28/28, 9 pin			
USB-A (M-F), 2M		BLACK WHITE SILVER	MPTB-AMAF-20-B MPTB-AMAF-20-W MPTB-AMAF-20-S	MPOS-AMAF-20-B MPOS-AMAF-20-W MPOS-AMAF-20-S	MPOH-AMAF-20-B MPOH-AMAF-20-W MPOH-AMAF-20-S
	USB-A (M-F), 3M	BLACK WHITE SILVER	MPTB-AMAF-20-B MPTB-AMAF-20-W MPTB-AMAF-20-S	MPOS-AMAF-20-B MPOS-AMAF-20-W MPOS-AMAF-20-S	MPOH-AMAF-20-B MPOH-AMAF-20-W MPOH-AMAF-20-S
		MODULE WITH CABLE USB-C (MALE-MALE), 3.2 gen1, 10 Gbps			
USB-C (M-M), 2M		BLACK WHITE SILVER	MPTB-CMCM-20-B MPTB-CMCM-20-W MPTB-CMCM-20-S	MPOS-CMCM-20-B MPOS-CMCM-20-W MPOS-CMCM-20-S	MPOH-CMCM-20-B MPOH-CMCM-20-W MPOH-CMCM-20-S
	USB-C (M-M), 3M	BLACK WHITE SILVER	MPTB-CMCM-30-B MPTB-CMCM-30-W MPTB-CMCM-30-S	MPOS-CMCM-30-B MPOS-CMCM-30-W MPOS-CMCM-30-S	MPOH-CMCM-30-B MPOH-CMCM-30-W MPOH-CMCM-30-S
		MODULE WITH CABLE USB-C (MALE-FEMALE), 3.2 gen1, 10 Gbps			
USB-C (M-F), 2M		BLACK WHITE SILVER	MPTB-CMCF-20-B MPTB-CMCF-20-W MPTB-CMCF-20-S	MPOS-CMCF-20-B MPOS-CMCF-20-W MPOS-CMCF-20-S	MPOH-CMCF-20-B MPOH-CMCF-20-W MPOH-CMCF-20-S
	MODULE WITH CABLE Apple Lightning / USB-C (MALE-MALE)				
	LIGHTNING na USB-C (M-M), 2M	BLACK WHITE SILVER	MPTB-GMCM-20-B MPTB-GMCM-20-W MPTB-GMCM-20-S	MPOS-GMCM-20-B MPOS-GMCM-20-W MPOS-GMCM-20-S	MPOH-GMCM-20-B MPOH-GMCM-20-W MPOH-GMCM-20-S
	MODULE WITH CABLE Apple Lightning / USB-A (MALE-MALE)				
	LIGHTNING na USB-A (M-M), 2M	BLACK WHITE SILVER	MPTB-GMAM-20-B MPTB-GMAM-20-W MPTB-GMAM-20-S	MPOS-GMAM-20-B MPOS-GMAM-20-W MPOS-GMAM-20-S	MPOH-GMAM-20-B MPOH-GMAM-20-W MPOH-GMAM-20-S
	MODULE WITH CABLE USB-C / HDMI (MALE-MALE)				
	USB-C na HDMI (M-M), 2M	BLACK WHITE SILVER	MPTB-CMHM-20-B MPTB-CMHM-20-W MPTB-CMHM-20-S	MPOS-CMHM-20-B MPOS-CMHM-20-W MPOS-CMHM-20-S	MPOH-CMHM-20-B MPOH-CMHM-20-W MPOH-CMHM-20-S
	MODULE WITH CABLE AUDIO (Jack 3.5mm, MALE-FEMALE)				
	AUDIO (M-M), 2M	BLACK WHITE SILVER	MPTB-OMOM-20-B MPTB-OMOM-20-W MPTB-OMOM-20-S	MPOS-OMOM-20-B MPOS-OMOM-20-W MPOS-OMOM-20-S	MPOH-OMOM-20-B MPOH-OMOM-20-W MPOH-OMOM-20-S

INSTALLATION INSTRUCTION

FLAT is installed in sizes M, L, and XL using the same method, only with different cutting lengths. FLAT PLUS has a different type of cutout.

To install the FLAT panel, you will need a jigsaw and a drill with wood bits. It is also possible to use CNC milling during desk production.

- 1 | Mark and drill two opposite corners.
- 2 | Use a jigsaw to cut the shape between the holes according to the CUT-OUT in the installation instructions.
- 3 | Place the panel into the hole, position the frame from the bottom part of the panel, and tighten the screws (choose screws based on the thickness of the desk).
- 4 | Attach the PASS-THRU or PULL-OUT and connect the panel into electrical outlet.



PRODUCT PACKAGE

Panel FLAT with power cable, mounting frame, mounting screws

THICKNESS OF THE DESK

10 - 40 mm (possibility up to 60 mm with custom screws, not part of a standard package)

INSTALLATION MANUAL

panconnect.eu/en/download/



ACCESSORIES FOR PANEL FLAT

FLAT can be expanded with a separate pass-through installed into the tabletop, designed in a colour scheme corresponding to the panel's design.



FLAT PASS-THROUGH WITH INSERTED FENIX NTM AND BRUSHES

BLACK
WHITE
SILVER

FL-PTH-B
FL-PTH-W
FL-PTH-S

SAFETY & RECYCLATION



PANCONNECT declares that panel FLAT complies with Low voltage directive 2014/35/EU and EMC directive 2014/30/EU. Testing has been made according to EN 50491-5-1:2010 and EN 50491-5-2:2010 standards.



All products from PANCONNECT are intended for upgrade or recycling in accordance with the company's policy. Before the disposal of this panel comes up, please verify if this product can or cannot be upgraded or overhauled. If it's not possible, kindly arrange the disposal in accordance with valid EU directives.



This product belongs to WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (WEEE) category so the disposal is possible only in accordance with this WEEE Directive 2012/19/EU. It cannot be part of the municipal waste. For more information please check www.asekol.cz | info@asekol.cz

ABOUT MANUFACTURER



PANCONNECT s.r.o.
Olomoucká 601/51, 618 00 Brno
Pobřežní 249/46, 186 00 Praha
ID: 29265703, VAT ID: CZ29265703

sales@panconnect.eu, +420 603 575 486
support@panconnect.eu, +420 731 145 272
web: www.panconnect.eu
portal and configurator: pro.panconnect.eu