

PREMIUM

SPOOK



SPOOK is primarily a minimalist charging panel with selected variants providing basic connectivity. This premium product, designed with both quality and functionality in mind, is made from top-notch materials such as milled aluminum and FENIX NTM. It is not only durable and robust but also offers an aesthetic look to any room, thanks to its availability in eight color options. It is always equipped with 60W USB-C/A and wireless charging.

- Metal body with FENIX NTM and durable painting
- Integrated wireless Qi charging
- USB-A QC & USB-C 60W PD included
- Minimum possible panel footprint on the desk
- Available also with basic connectivity options
- Supports wide range of socket standards



SPOOK XS

SPOOK XS is a suitable option if an outlet is not needed.



Dimensions (mm)	Weight (g)	Product package (mm / kg)
124,5 × 73 × 80,5	720	220 × 200 × 100 / 1
Number of sockets	USB-C/A 60W charging	Power cable
-	YES	2.9m, ending with a plug 25cm WIELAND or WINSTA mini
Wireless charging	Connectors	CUT-OUT (mm)
YES	-	120 × 68

SPOOK S

SPOOK S with all available charging options.



Dimensions (mm)	Weight (g)	Product package (mm / kg)
176 × 73 × 80,5	860	220 × 200 × 100 / 1,2
Number of sockets	USB-C/A 60W charging	Power cable
1	YES	2.9m, ending with a plug 25cm WIELAND or WINSTA mini
Wireless charging	Connectors	CUT-OUT (mm)
YES	-	171 × 68

SPOOK M

SPOOK M always comes with USB-C/A charging and wireless charging, either purely with outlets or in a combination of outlets and a connector field.



Dimensions (mm)	Weight (g)	Product package (mm / kg)
227,5 × 73 × 80,5	1020	360 × 200 × 100 / 1,4
Number of sockets	USB-C/A 60W charging	Power cable
1 - 2	YES	2.9m, ending with a plug 25cm WIELAND or WINSTA mini
Wireless charging	Connectors	CUT-OUT (mm)
YES	0 - 2	222,5 × 68

COLOURS

SPOOK is always offered as a fully lacquered panel with embedded FENIX NTM. We typically provide two mono color options and six combined designs.



BIANCO KOS

white FENIX NTM and painted frame paired to Bianco Kos colour



SILVER & BIANCO KOS

silver painted frame and white insert FENIX NTM



SILVER & GRIGIO EFESO

silver painted frame and grey insert FENIX NTM



SILVER & NERO INGO

silver painted frame and black insert FENIX NTM



SILVER & BLU FES

silver painted frame and blue insert FENIX NTM



NERO INGO

black FENIX NTM and painted frame paired to Nero Ingo colour



TAUPE & NERO INGO

bronze painted frame and black insert FENIX NTM



TAUPE & CASTORO OTTAWA

bronze painted frame and sand brown insert FENIX NTM

TECHNICAL DETAILS

Main attributes for all sizes of panel SPOOK

USB-C CHARGING SPECIFICATION

PowerDelivery Protocol up to 60W

SOCKETS

230V/10A (EU), 110V/10A (US)

MATERIALS

dural, stainless steel, steel, ABS plastics (sockets)

AVAILABLE IN THIS VERSION FROM

2022

USB-A CHARGING SPECIFICATION

QuickCharge 3.0 (up to 5A)

POWER SUPPLY

110 - 250V, 10A

INGRESS PROTECTION

IP22

POWER CABLES

Panels are always supplied with integrated power cables.



Cable with standard plug type

2.9 meter long cable (not available for US standard)



WINSTA mini

25 cm long pigtail cable with connector (male, 2+PE, 10A)



WIELAND GST18i3

25 cm long pigtail cable with connector (male, 2+PE, 10A)

LIST OF VARIANTS



SPOOK XS, USB-C/A & WIRELESS CHARGING

BIANCO KOS	white frame and FENIX NTM	SPXS-CAQ-KW
SILVER & BIANCO DOVER	silver frame, white FENIX NTM	SPXS-CAQ-DS
SILVER & GRIGIO EFESO	silver frame, grey FENIX NTM	SPXS-CAQ-GS
SILVER & NERO INGO	silver frame, black FENIX NTM	SPXS-CAQ-NS
SILVER & BLU FES	silver frame, blue FENIX NTM	SPXS-CAQ-BS
NERO INGO	black frame and FENIX NTM	SPXS-CAQ-NC
TAUPE & NERO INGO	bronze frame, black FENIX NTM	SPXS-CAQ-NT
TAUPE & CASTORO OTTAWA	bronze frame, brown FENIX NTM	SPXS-CAQ-CT



SPOOK M, 1x SOCKET, USB-C/A & WIRELESS CHARGING

BIANCO KOS	white frame and FENIX NTM	SPSS-CAQ-1UN-KW
SILVER & BIANCO DOVER	silver frame, white FENIX NTM	SPSS-CAQ-1UN-DS
SILVER & GRIGIO EFESO	silver frame, grey FENIX NTM	SPSS-CAQ-1UN-GS
SILVER & NERO INGO	silver frame, black FENIX NTM	SPSS-CAQ-1UN-NS
SILVER & BLU FES	silver frame, blue FENIX NTM	SPSS-CAQ-1UN-BS
NERO INGO	black frame and FENIX NTM	SPSS-CAQ-1UN-NC
TAUPE & NERO INGO	bronze frame, black FENIX NTM	SPSS-CAQ-1UN-NT
TAUPE & CASTORO OTTAWA	bronze frame, brown FENIX NTM	SPSS-CAQ-1UN-CT



SPOOK M, 2x SOCKET, USB-C/A & WIRELESS CHARGING

BIANCO KOS	white frame and FENIX NTM	SPMS-CAQ-2UN-KW
SILVER & BIANCO DOVER	silver frame, white FENIX NTM	SPMS-CAQ-2UN-DS
SILVER & GRIGIO EFESO	silver frame, grey FENIX NTM	SPMS-CAQ-2UN-GS
SILVER & NERO INGO	silver frame, black FENIX NTM	SPMS-CAQ-2UN-NS
SILVER & BLU FES	silver frame, blue FENIX NTM	SPMS-CAQ-2UN-BS
NERO INGO	black frame and FENIX NTM	SPMS-CAQ-2UN-NC
TAUPE & NERO INGO	bronze frame, black FENIX NTM	SPMS-CAQ-2UN-NT
TAUPE & CASTORO OTTAWA	bronze frame, brown FENIX NTM	SPMS-CAQ-2UN-CT



SPOOK M, 1x SOCKET, USB-C/A & WIRELESS CHARGING, LAN (RJ45)

BIANCO KOS	white frame and FENIX NTM	SPMS-CAQ-1UN-LF-KW
SILVER & BIANCO DOVER	silver frame, white FENIX NTM	SPMS-CAQ-1UN-LF-DS
SILVER & GRIGIO EFESO	silver frame, grey FENIX NTM	SPMS-CAQ-1UN-LF-GS
SILVER & NERO INGO	silver frame, black FENIX NTM	SPMS-CAQ-1UN-LF-NS
SILVER & BLU FES	silver frame, blue FENIX NTM	SPMS-CAQ-1UN-LF-BS
NERO INGO	black frame and FENIX NTM	SPMS-CAQ-1UN-LF-NC
TAUPE & NERO INGO	bronze frame, black FENIX NTM	SPMS-CAQ-1UN-LF-NT
TAUPE & CASTORO OTTAWA	bronze frame, brown FENIX NTM	SPMS-CAQ-1UN-LF-CT



SPOOK M, 1x SOCKET, USB-C/A & WIRELESS CHARGING, USB-C

BIANCO KOS	white frame and FENIX NTM	SPMS-CAQ-1UN-CM-KW
SILVER & BIANCO DOVER	silver frame, white FENIX NTM	SPMS-CAQ-1UN-CM-DS
SILVER & GRIGIO EFESO	silver frame, grey FENIX NTM	SPMS-CAQ-1UN-CM-GS
SILVER & NERO INGO	silver frame, black FENIX NTM	SPMS-CAQ-1UN-CM-NS
SILVER & BLU FES	silver frame, blue FENIX NTM	SPMS-CAQ-1UN-CM-BS
NERO INGO	black frame and FENIX NTM	SPMS-CAQ-1UN-CM-NC
TAUPE & NERO INGO	bronze frame, black FENIX NTM	SPMS-CAQ-1UN-CM-NT
TAUPE & CASTORO OTTAWA	bronze frame, brown FENIX NTM	SPMS-CAQ-1UN-CM-CT



SPOOK M, 1x SOCKET, USB-C/A & WIRELESS CHARGING, HDMI

BIANCO KOS	white frame and FENIX NTM	SPMS-CAQ-1UN-HF-KW
SILVER & BIANCO DOVER	silver frame, white FENIX NTM	SPMS-CAQ-1UN-HF-DS
SILVER & GRIGIO EFESO	silver frame, grey FENIX NTM	SPMS-CAQ-1UN-HF-GS
SILVER & NERO INGO	silver frame, black FENIX NTM	SPMS-CAQ-1UN-HF-NS
SILVER & BLU FES	silver frame, blue FENIX NTM	SPMS-CAQ-1UN-HF-BS
NERO INGO	black frame and FENIX NTM	SPMS-CAQ-1UN-HF-NC
TAUPE & NERO INGO	bronze frame, black FENIX NTM	SPMS-CAQ-1UN-HF-NT
TAUPE & CASTORO OTTAWA	bronze frame, brown FENIX NTM	SPMS-CAQ-1UN-HF-CT



SPOOK M, 1x SOCKET, USB-C/A & WIRELESS CHARGING, CONNECTORS HDMI and LAN (RJ45)

BIANCO KOS	white frame and FENIX NTM	SPMS-CAQ-1UN-HFLF-KW
SILVER & BIANCO DOVER	silver frame, white FENIX NTM	SPMS-CAQ-1UN-HFLF-DS
SILVER & GRIGIO EFESO	silver frame, grey FENIX NTM	SPMS-CAQ-1UN-HFLF-GS
SILVER & NERO INGO	silver frame, black FENIX NTM	SPMS-CAQ-1UN-HFLF-NS
SILVER & BLU FES	silver frame, blue FENIX NTM	SPMS-CAQ-1UN-HFLF-BS
NERO INGO	black frame and FENIX NTM	SPMS-CAQ-1UN-HFLF-NC
TAUPE & NERO INGO	bronze frame, black FENIX NTM	SPMS-CAQ-1UN-HFLF-NT
TAUPE & CASTORO OTTAWA	bronze frame, brown FENIX NTM	SPMS-CAQ-1UN-HFLF-CT




SPOOK M, 1x SOCKET, USB-C/A & WIRELESS CHARGING, CONNECTORS HDMI and USB-C


BIANCO KOS	white frame and FENIX NTM	SPMS-CAQ-1UN-HFCM-KW
SILVER & BIANCO DOVER	silver frame, white FENIX NTM	SPMS-CAQ-1UN-HFCM-DS
SILVER & GRIGIO EFESO	silver frame, grey FENIX NTM	SPMS-CAQ-1UN-HFCM-GS
SILVER & NERO INGO	silver frame, black FENIX NTM	SPMS-CAQ-1UN-HFCM-NS
SILVER & BLU FES	silver frame, blue FENIX NTM	SPMS-CAQ-1UN-HFCM-BS
NERO INGO	black frame and FENIX NTM	SPMS-CAQ-1UN-HFCM-NC
TAUPE & NERO INGO	bronze frame, black FENIX NTM	SPMS-CAQ-1UN-HFCM-NT
TAUPE & CASTORO OTTAWA	bronze frame, brown FENIX NTM	SPMS-CAQ-1UN-HFCM-CT


CONNECTOR FIELD

SPOOK in the M variant allows for the utilization of a connector field with one or two connectors.

 LAN Cat6A (RJ45)
Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, 150 mm

 HDMI & LAN Cat6A (RJ45)
HDMI 2.0b, 4K 60 Hz, to 18Gbps, 150 mm
Cat6A S/FTP, to 500MHz, 10GBase-T, shielded housing, 150

 USB-C
USB-C 3.2 GEN 2, 10 Gbps, 150 mm

 USB-C & HDMI
USB-C 3.2 GEN 2, 10 Gbps, 150 mm
HDMI 2.0b, 4K 60 Hz, to 18Gbps, 150 mm


 HDMI
HDMI 2.0b, 4K 60 Hz, to 18Gbps, 150 mm

INSTALLATION INSTRUCTION

SPOOK is installed into a cut or milled opening in the tabletop.

To install the SPOOK panel, you will need a jigsaw and a hole saw with a diameter of 68mm. Of course, CNC milling can also be used. Here are the installation steps:

- 1 | Mark the two end holes and drill them using the hole saw.
- 2 | Cut the bridge between the holes using a jigsaw.
- 3 | Fit the panel into the opening, place the mounting frame from underneath, and tighten the screws according to the strength of the tabletop.
- 4 | Connect the panel to the electrical outlet and AV connection (if provided).



PRODUCT PACKAGE

Panel SPOOK with power cable, mounting frame, mounting screws

THICKNESS OF THE DESK

10 - 40 mm (possibility up to 60 mm with custom screws, not part of a standard package)

INSTALLATION MANUAL

panconnect.eu/en/download/



ACCESSORIES FOR PANEL SPOOK

SPOOK can be expanded with a separate cable pass-through installed into the tabletop, designed in a color scheme that matches the panel's design.



SPOOK SQUARE CABLE GROMMET WITH EMBEDDED FENIX NTM AND BRUSH INSERTS

BIANCO KOS	white frame and FENIX NTM	SP-PTH-KW
SILVER & BIANCO DOVER	silver frame, white FENIX NTM	SP-PTH-DS
SILVER & GRIGIO EFESO	silver frame, grey FENIX NTM	SP-PTH-GS
SILVER & NERO INGO	silver frame, black FENIX NTM	SP-PTH-NS
SILVER & BLU FES	silver frame, blue FENIX NTM	SP-PTH-BS
NERO INGO	black frame and FENIX NTM	SP-PTH-NC
TAUPE & NERO INGO	bronze frame, black FENIX NTM	SP-PTH-NT
TAUPE & CASTORO OTTAWA	bronze frame, brown FENIX NTM	SP-PTH-CT

SAFETY & RECYCLATION



PANCONNECT declares that panel SPOOK complies with Low voltage directive 2014/35/EU and EMC directive 2014/30/EU. Testing has been made according to EN 50491-5-1:2010 and EN 50491-5-2:2010 standards.



All products from PANCONNECT are intended for upgrade or recycling in accordance with the company's policy. Before the disposal of this panel comes up, please verify if this product can or cannot be upgraded or overhauled. If it's not possible, kindly arrange the disposal in accordance with valid EU directives.



This product belongs to WASTE ELECTRICAL AND ELECTRONIC EQUIPMENT (WEEE) category so the disposal is possible only in accordance with this WEEE Directive 2012/19/EU. It cannot be part of the municipal waste. For more information please check www.asekol.cz | info@asekol.cz

ABOUT MANUFACTURER



PANCONNECT s.r.o.
Olomoucká 601/51, 618 00 Brno
Pobřežní 249/46, 186 00 Praha
ID: 29265703, VAT ID: CZ29265703

sales@panconnect.eu, +420 603 575 486
support@panconnect.eu, +420 731 145 272
web: www.panconnect.eu
portal and configurator: pro.panconnect.eu